

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- About Autodesk Revit Architecture 2012
 - dialog box, 198, 199
- Absolute option for keynotes, 780
- Abstract Phase setting, 482, 482
- ACADInterop folder, 243
- accelerators, keyboard, **82**, 82
- Accept Difference option, 218
- Accept Primary button, 416
- AccuRender tool, 999
- acdb.pat file, 243
- Acquire Coordinates tool, 201, 351
- acquiring coordinates, **201–202**, 202
- Activate View option, 766
- active worksets, 69
- Actual Bracket Space formula field, 638, 638
- Adaptive Component family,
 - 559–560**, 559–560
- adaptive components, 860, 860
- adaptive points, 546–548
- Add/Edit Layer Modifiers, 249, 249
- Add-ins tab, 943
- Add options
 - filters, 120
 - group elements, 403, 724, 724
 - labels, 797
 - line weights, 103
 - revisions, 866
 - schedules, 156, 341, 561
 - selection elements, 62
 - sweep rows, 513
- Add Parameter options, 633, 635, 639, 800
- Add Point tool, 590
- Add Points From Selected Layers dialog box,
 - 86, 86
- Add/Remove Segments button, 531–532
- Add Split Line tool, 590–591, 591
- Add To Design Set dialog box, 413, 413
- Add To Set option, 413
- .addin manifest files
 - external command registration,
 - 943, **948–950**
 - sample project, **967–968**, 967, 969
- AddInId tag, 949
- additive approach
 - selection, 62
 - templates, 135, 135
 - wall storage, 502
- AddRibbonPanel function, 966–967
- Administration Building at Singapore Polytechnic, 895, 896
- ADN (Autodesk Developer Center and Developer Network), 970
- adoption curves, **10–11**, 10–11
- ADSK format, 203
- AEC Headquarters, **885–886**, 885–886
- afterburners, 1003, 1004
- aggregating template data, **136–139**, 137–139
- AIA (American Institute of Architects), 195
- airlock, 973, 983, 983, 989, 989,
 - 996–997, 996–997
- Alcatraz set, 1000, 1000–1001
- Align tool
 - elements, 74–75, 75
 - layers, 518, 519
- Align With Element option
 - filled regions, 713, 713
 - patterns, 113
- Aligned To Current View option, 81
- Aligned To Picked Level option, 81
- Aligned To Same Place option, 81, 622
- Aligned To Selected Levels option, 81
- Aligned To Selected Views option, 81
- aligning
 - elements, **74–75**, 75
 - layers, 518, 519
 - with pasting, **80–81**, 81, 622
 - pattern orientation, 113

- All Grid Lines option, 528
- all instances, selecting, **63**, 139, 181
- Allow Join option, 76
- Along Horizontal Grid option, 529, 530
- Alphabetical material option, 111
- ambient lighting, **462–464**, 462–464
- American Institute of Architects (AIA), 195
- analysis in BIM, **8–9**, 8–9
- Analysis Output tab, 376–378, 377
- analytic extents, **20–29**, 21–28
- analytic visualization, **437**
 - design elements identification, **445–446**, 446
 - monochromatic views, **437–440**, 438–440
 - project parameters, **440–442**, 440–443
 - sun and shadow studies, **446–450**, 447–449
 - user-defined parameters, **443–445**, 443–445
- Analyze Mass Model dialog box, 361–362, 361
- Analyze tab, 359–360, 359
- angles
 - arrays, 73
 - complex mass family rotation, 333, 333
- angular twists, 319–320
- animated solar studies
 - creating, **354–355**, 449, 449
 - exporting, **355–356**, 356–357
 - previewing, **355**, 355
- animation paths for photorealistic visualization, **473–480**, 473–479
- Annotation Objects tab, 102
- annotations and Annotate tab, 58, 58
 - 3D views, **821**, 821
 - creating, **125**, 125
 - details, 705, 705
 - dimensions, **794–796**, 794–796
 - keynotes. *See* keynotes
 - overview, **771–772**, 771
 - project parameters, **797–800**, 797–800
 - property lines, 93
 - Region tool, 708, 708
 - revision clouds, 863, 866–867
 - shared parameters, **800–807**, 801–807
 - tags. *See* tags
 - text, 772
- API. *See* application programming interface (API)
- APL parameter, 336, 336
- Appearance tab
 - materials, 110
 - schedules, 752, 753
- Application class, **964–966**
- Application menu, **48**, 49, 243, 243
- application programming interface (API), **941–942**
 - database-level applications, **947**
 - development environment options, **951–952**, 951–952
 - external applications, **945–947**
 - external commands, **943–945**
 - external utility installation, **948–950**
 - resources, **970**
 - sample project. *See* sample project
 - Software Development Kit, **942–943**, 942–943
- applications
 - database-level, **947**
 - external, **945–947**
- Apply Area Rules setting, 744
- Apply Default View Template To All Views option, 124
- Apply View Template dialog box, 743, 769
- architects
 - MEP engineer relationship, **198**
 - role, **148**
 - structural engineer relationship, **197–198**
- arcs, **830–836**, 831–835
- Area And Volume Computations dialog box
 - area plans, 742–743, 742
 - room area, 740
 - room volumes, 365–366, 366
- Area Boundary line type, 744
- Area Plan tool, 742–743
- area plans
 - adding areas, **745–747**, 745–747
 - complex, 748
 - creating, **742–744**, 743–745

- modifying, **747**, 747
- sheets, **764–766**, 766
- standards, **741–742**, 742
- Area Schemes tab, 742, 742
- Area tool, 745
- Area Type property, 744, 746
- areas
 - parametric models, **848–849**, 848–849
 - rooms, **740–741**, 740–741
 - scheduled, 42, **754–755**, 755
 - tags, 791, 791
- Arrange panel, 718, 719
- arranging views, **718–719**, 718–719
- Array command, 634
- Array tool, 72–74
- arrays
 - elements, **72–74**, 72–73
 - parametric, **634–636**, 634–635
- art directors, 975–976
- articulation of walls, **510–516**, 510–516
- artificial lighting
 - ceiling, **485–486**, 485
 - light groups, **486–495**, 486–495
- as-built documentation, 863
- aspect ratio, 471–472, 472, 475, 475
- assemblies
 - creating, **891–892**, 892
 - views, **892**, 893
- Assembly tag, 949
- Associate Family Parameter dialog box, 639, 639
- associative parameters
 - mass dimensions, 316, 316
 - materials, 639, 639
- At Library Locations option, 780
- At Wall Center option, 366
- Attach End option, 790
- Attach Top/Base button, 25, 521
- Attached Detail Groups option, 401
- Attached Detail Groups Placement dialog box, 401, 401
- attached relationships in groups, 410, 410
- attaching walls, **521–522**, 521–522

- Attachment option for linked models, 206
- Auto - By Shared Coordinates option, 201, 229
- Auto - Origin To Origin option, 229
- Autodesk Developer Center and Developer Network (ADN), 970
- Autodesk Ecotect energy modeling application, 363
- Autodesk Revit API Discussion Group, 970
- Automatic Ceiling mode, 577
- Automatically Embed option, 536, 536
- AvailabilityClassName tag, 950
- Avatar*, 1011
- AVI files, exporting, 478, 478

B

- B-25 bomber, 1011–1012, 1011–1012
- background
 - gradient, 352
 - horizon simulation, 462, 462
 - imported data, **230**
 - sun studies, 352, 352
- Background setting, 462, 462
- backups for central files, 172
- Baluster Family category, 677
- balusters
 - behaviors, 603
 - curtain walls for, 670–671, 671
 - curved railings, 684, 685
 - glass stairs, 696–697, 696, 698
 - handrail joins, 664, 664
 - nesting, 659–661, 660
 - overrides, 654
 - pins as, 696, 696
 - placement, 649, 649, 653, 656, 656, 665, 665, 669, 671
 - support, **677–683**, 677–683, 686, 687
 - types, **651–652**, 651–652
- bar top, 1012, 1013
- barrel roofs, 584
- Base Extension Distance parameter, 517–519
- Base Is Attached parameter, 522
- Base Level option, 581
- Base Offset setting, 519, 525

- Base Offset From Level setting, 581
- base templates, 135
- baseboard details, 717, 717
- Basic Ceiling family, 577
- Basics tab for linked models, 211
- batt insulation, 723, 723
- BCA (Building Construction Authority), 896–897
- Begin With Riser option, 668
- belts for curtain wall surfaces, 542
- Bentley Structural Modeler, 241
- BEP (BIM execution plan), 882
- best practices
 - Bohlin Cywinski Jackson, **926–927**
 - film and stage, **992–997**, 993–997
 - groups, **409–411**, 410
 - stairs and railings, **699–700**
- Best setting, 468, 468
- bicycles, evolution vs. revolution, 12–13, 13
- BIM (Building Information Modeling)
 - analysis, **8–9**, 8–9
 - execution plans, **194–195**, 882
 - firm culture, **11–13**
 - goal setting, **10–11**, 10–11
 - investment in, **13–14**
 - overview, **3–4**
 - planning for, **4–5**, 4
 - quality control, **154**
 - file size, **154–157**, 155–157
 - schedules, **158–161**, 158–161
 - warnings, **161–162**, 161–162
 - staffing, **146–151**, 146–147, 149
 - strategy, **9–10**
 - visualizations, **5–7**, 5–8
 - work plans, **150**
 - workflow, **141–145**, 142–146
- BIM and Construction Management*, 874
- BIM curve, **225**, 226
- BIM execution plan (BEP), 882
- binding links, 408, 408
- blends, 615, 615
 - generic model mass families, 319, 319, 322–325, 323–324
 - glass stairs, 697
 - in-place solids, 302, 302–303
 - pattern-based panels, 291–292, 292–293
 - railing paths, 688–689, 688
- blocking
 - details, 716–717, 717
 - placing, 731, 731
- Bohlin Cywinski Jackson (BCJ)
 - Apple stairs, 694, 695
 - background, **924–925**, 924
 - technology history, **925**
 - virtualization
 - best practices, **926–927**
 - hardware settings, **927–939**, 927–939
- BOMA (Building Owners and Managers Association), 741–742
- BOMA Area, 741–742
- boot order in virtualization, 935, 935
- Border Tile parameter, 544, 545
- borrowing elements, **182–183**
- boundaries
 - area, 743–744, 743–745, 747
 - filled regions, 715, 715–716
 - line visibility, 766
- brackets, shelf
 - formulas, **636–638**, 636–638
 - modeling, **629–630**, 629–630
 - nesting, **631–633**, 631–632
 - parameters, **633–634**, 633–634
 - parametric arrays, **634–636**, 634–635
- Break Up option, 525
- breaking up
 - models, **151–152**
 - stacked walls, 525
- bricks, 720–721, 720
- bridge elements, 842, 843
- Bring Forward option, **719**, 719
- Bring To Front option, **718**, 718
- Browser Organization dialog box, 119–120
- Browser Organization Properties dialog box, 119, 119
- Build Events dialog box, 968, 969
- builders, **873–874**
- Building Coder blog, 970
- Building Construction Authority (BCA), 896–897

Building Design + Construction, 873
 building envelopes in energy modeling,
 363–364, 364
 building footprint, **829–839**, 829–835, 837–838
 Building Information Modeling. *See* BIM
 (Building Information Modeling)
 building massing, **839–845**, 840–846
 building orientation, 340
 Building Owners and Managers Association
 (BOMA), 741–742
 building pads, **90–91**, 91
 Building sections, 36–37, 38
 buildingSMART Alliance, 194, 255
 bulleted lists, 775, 775
 button controls, 955
 By CSI Division option, 111
 By Keynote option, 781
 By Mark option, 111
 By Project option, 866
 By Range option, 817
 By Sheet option
 keynotes, 781
 revision numbering, 866
 By Type option, 111
 By Use option, 111

C

C# language
 external application examples, 946–947
 external command example, 944–945
 VSTA support, 948
 cable net for stairs, 686, 687
 CAD-based workflow, **141**, 142
 CAD files
 coordinates from, **201**
 details from, **758–759**, 759
 exporting. *See* exporting
 importing. *See* importing
 linking
 vs. importing, **759–760**, 759
 large files, 233
 managing, 228
 toposurfaces, 85, 86

Calculate All Light Meters Now button, 378
 Calculate Totals option, 561, 752, 755
 Calculated Value dialog box
 schedules, 341–342, 342
 window-to-wall ratio, 346, 346
 calculations
 distances, 721
 parametric models, **854–858**, 855–857
 room area, **740–741**, 740–741
 Callout Detail sections, 36–37
 Callout tool, 714
 callouts, **38–39**, 38–39
 Camera tab, 44
 camera tool, 372
 Camera views, 42
 cameras
 animation paths, **473–480**, 473–479
 daylighting views, 372
 perspective views, **44–46**, 44
 photorealistic visualization,
 471–473, 471–473
 solar studies, 348–349, 349
 visualization sequence, **481–482**, 481–482
 Carter, Rick, 1011
 carving geometry, **618–619**, 619, 996
 case studies
 J. H. Findorff & Son, **874–880**, 875–880
 Tocci Building Corporation,
 881–886, 881–886
 Cast Shadows option, 352, 460, 460
 categories
 families
 film and stage, **993–995**, 994
 parameters, **601**
 projection and cut values, **599–600**, 600
 schedules, **599**, 599
 selecting, **598–601**, 598–600, **603**
 shared parameters, **802–803**, 802–803
 Category setting, 800
 CDE (Conceptual Design Environment), **540**
 CEA (conceptual energy analysis) tool,
 359–362, 359–361

- ceilings
 - creating, 577
 - lights in, 485–486, 485
 - reflectance, 371
 - settings, 484, 484
 - sketching, 573–574, 573
- cell phone adoption, 12
- center of rotation, 71
- center points of arcs, 831–833
- Center To Center positioning, 233
- Center Void Model Lines family, 842
- central files
 - creating, 172–173, 172–173
 - detaching from, 206–207, 207
 - worksharing, 165
- CGI for film, 990, 991–992
- chain selections, 62
- chairs
 - detail level, 452, 452
 - with tubular structure, 623–628, 623–628
- change management for curtain systems, 853, 853
- Change Parameter Value dialog box, 794, 794
- Change Time Period button, 375
- Changes Not Saved dialog box, 178, 178
- Check Now option, 183–184
- Chong, Daryl, student project by, 906, 906–907
- Choose Space Type And Color Scheme dialog box, 116, 117, 811, 811
- circular stairs, 688–690, 688–691
- clashes, 197, 220–221
- classes
 - constructors, 956, 959–960
 - properties, 960–962
- classroom activities
 - overview, 895
 - Singapore Polytechnic. *See* Singapore Polytechnic
- clipped project base points, 204–205
- closing Revit, 186, 186
- clouds, revision, 863, 864
 - leaders, 868
 - placing, 866–867, 866–867
 - tags, 867–868, 868
- clsSettings class, 959–962
- CMUs (concrete masonry units), 112–113, 112
- CNC (computer numerical control), 979–981, 979–981
- Coarse detail level, 734, 734
- collaboration and Collaborate tab, 58, 58, 166–167, 167
 - Coordination Review tool, 218
 - Copy/Monitor tool, 213
 - floors, 566
 - interference checking, 223
 - local files, 175–176
 - permissions, 173, 173, 184
 - Reload Latest process, 179
- color
 - consistent, 455, 455
 - exporting, 252, 252
 - glazing, 371
 - importing and linking, 229
 - layers, 227, 246, 247
 - numerical ranges, 816–817, 817–818
 - poches, 465–466, 465–466
 - schemes, 116–118, 117–118
 - selection, 61
- Color dialog box, 813–814, 814
- color fill legends
 - overview, 809–810, 809–810
 - program verification with, 818, 818
 - rooms, 810–817, 811–812, 814–818
- Colors tab, 252, 252
- columns, copying, 215
- Comma delimiters, 643, 643
- Comma Separated Values (.csv), 644
- Command class, 962–964, 962
- CommandData parameter, 943
- commands
 - external, 943–945
 - recent, 65, 65
- Communication Center, 50
- communication for collaboration, 213
- Compact Central File option, 177
- complex mass families, 329–338, 329–337
- Component icon, 545
- Component menu, 714

components

detail, 714

- adding, 714–718, 714–718
- arranging elements, 718–719, 718–719
- families, 725–733, 726–732
- groups, 723–724, 724
- linework, 725, 725
- Repeating Detail Component, 719–723, 720–722
- visibility, 733–734, 733–735

families, 29, 597

- creating, 601–603, 601
- dimensions, 611–612, 611–612
- hosted vs. nonhosted, 602–603, 602–603
- insertion points, 603–604, 604
- materials, 610–611, 610–611
- object styles and subcategories, 612–613, 612–613
- reference points, planes, and lines, 605–607, 605–607
- type and instance parameters, 613–614, 614
- visibility settings, 607–609, 608–609

composite views, 987–988, 988–989

Compound Ceiling family, 577

compressing animated solar studies, 356, 356

computations

- distances, 721
- room area, 740–741, 740–741

computer numerical control (CNC), 979–981, 979–981

Concept Curtain Walls, 539–540, 539–540

Conceptual Constructions dialog box, 360–362, 360

Conceptual Design Environment (CDE), 540

Conceptual Design tool

- overview, 339
- sustainable design
 - concepts, 339–340
 - daylighting. *See* daylighting
 - energy modeling, 358–368, 358, 364–368
 - schedules, 340–346, 341–346
 - sun shading and solar paths. *See* sun and solar studies

conceptual energy analysis (CEA) tool, 359–362, 359–361

Conceptual Mass panel, 265

conceptual massing, 839

concrete masonry units (CMUs), 112–113, 112

concurrent design, 382

conditions for stairs, 677–683, 677–683

Configure UV Grid Layout command, 541

Configure Weather Data dialog box, 375, 376

conflicts in groups, 405, 405

consistency

- drawing sheets, 151
- multiple packages, 152

Consistent Colors view, 455, 455

Constrain option, 68

constraints

- dimensions, 78–79, 78–79
- movement, 68
- parametric projects, 829–834, 830–835

construction, 863

builders, 873–874

contractors

- J. H. Findorff & Son case study, 874–880, 875–880
- Tocci Building Corporation case study, 881–886, 881–886

digital markups, 868–872, 870–871

film and stage, 981, 981

modeling

- assemblies, 891–892, 892–893
- overview, 887
- parts, 887–891, 888–891
- revisions, 863–868, 864–868

Construction Week setting, 384

constructors, class, 956, 959–960

consultants, 193

- coordination with. *See* coordination
- preparation for, 193–195, 194

content, 29, 29

custom, 126

recycled, 341–343, 341–343

scheduled, 42

context menus, 65–66, 65

Contextual Modify tabs, 59, 59

contractors

- J. H. Findorff & Son case study, **874–880**, 875–880
- Tocci Building Corporation case study, **881–886**, 881–886

control points, **273–277**, 273–277controls on user forms, **954–956**, 955

converting

- datum level to view level, 19, 20
- lines, 729, 729
- solids to voids, 308–309, 308, 323–324, 323–324, 618, 618

Cool White Matte finish type, 370

coordinates

- from CAD files, **201**
- linked models
 - acquiring and publishing, **201–202**, 202
 - project base points and survey points, **202–205**, 202–204
 - sharing, **199–200**, 201

coordination

- Coordination Review tool, **217–220**, 217–218, 220

Copy/Monitor tool, **214–217**, 214–215for importing, **234**, 234interference checking, **220–223**, 222–224linked models. *See* linked data and modelsoverview, **195–198**, 195, 197tools overview, **213**

Coordination Review dialog box, 218–220, 220

Coordination Review tool, 213

exercise, **219–220**, 220working with, **217–219**, 217–218

Copy/Monitor Options dialog box, 214, 214

Copy/Monitor tool, **197**, 213, 213benefits, **196**exercise, **216–217**working with, **214–215**, 214–215

Copy New Elements option, 219

Copy Sketch option, 219

Copy tool, 69

copying

Copy/Monitor tool, **214–215**elements, **69**, **80–81**, 80–81

groups, 401, 401, 403, 403

with inserting, 139

linked file elements, 210

with offsets, 77

physical machines, 922

views, **32–33**, 33

CopyLocal property, 954, 954

Core shaft behavior, 507

cores, walls, **506**, 506–507

Corner Mullion type, 534

corner mullions, **534–535**, 534

cosine function, 832

count, selection, 62

Create A Light Meter button, 376

Create A New Toposurface Exactly Like The Existing One option, 95

Create Assembly option, 892

Create Assembly Views dialog box, 892, 893

Create By Sketching option, 92

Create Energy Settings option, 360

Create Filled Region Boundary tab, 131

Create Floor Boundary option, 567

Create Form tool for massing, 271, 271

complex mass families, 335

forms, 278, 841

geometry options, 547, 548

in-place solids, 302, 304

pyramid curtain wall, 553, 554

surfaces, 274, 276, 280, 280, 290, 557

Create Group button, 400, 724, 724

Create New template option, 100

Create panel for views, 19

Create Parts option, 887

Create Property Line dialog box, 92

Create Roof Footprint tab, 579

Create Similar tool, **82**, 405

Create Views option, 892

Create Void command, 841

Crop Region Size dialog box, 356, 357, 472, 472

Crop Region Visible option, 34

- cropping
 - aspect ratio effect, 472, 472
 - hiding, 34, 34
 - horizontal extents, 34, 34
 - perspective views, 44, 44
 - .csv (Comma Separated Values), 644
 - Ctrl key for selections, 62
 - cubes, 266
 - culture, BIM, 11–13
 - Current View Only option, 229–230, 234
 - Curtain Grid tool, 530–531, 585
 - Curtain Panel Pattern Based option, 288, 288
 - Curtain Panel template, 670–671, 670
 - curtain panels, 288, 288
 - creating, 538
 - railings, 670
 - Singapore Polytechnic project, 901–902, 902
 - types, 527, 527
 - curtain systems
 - description, 526, 526
 - on mass faces, 849–853, 850–854
 - Curtain Wall tool, 670
 - curtain walls
 - Adaptive Component family, 559–560, 559–560
 - applications, 537–539, 538–539
 - complex, 539–540, 539–540
 - Concept Curtain Walls, 539–540, 539–540
 - corner mullions, 534–535, 534
 - creating, 538
 - designing, 528, 529
 - doors in, 533, 533
 - elements and components, 527–528, 527
 - glass material, 111
 - grids
 - customizing, 530–532, 530–532
 - description, 527, 527
 - panels, 529, 531–532
 - UV, 540–546, 541–542, 546
 - mullions, 530, 532
 - overview, 526, 526
 - pattern-based panels
 - building, 546–550, 547–550
 - loading, 550–551, 551
 - pyramid, 551–555, 551–555
 - scheduling, 560–561, 561
 - size limiting, 556–558, 557–558
 - patterns
 - applying, 543–544, 544
 - custom, 555–556, 555–556
 - surface editing, 544, 545
 - railings, 670–672, 670–671
 - surfaces
 - dividing, 540–543, 540–543
 - representing, 545–546, 545–546
 - as system family, 502
 - types, 535–537, 535–536
 - curves
 - parametric projects, 836–839, 837–838
 - railings, 684, 685
 - roof surfaces, 238–240, 238–240
 - solids overlapping on, 850
 - walls, 1009, 1009
 - custom panels, 851–852
 - custom patterns
 - curtain walls, 555–556, 555–556
 - fill, 114
 - custom templates, 134, 135
 - Cut Geometry tool
 - enveloped walls, 23, 23
 - floor edges, 572
 - floor finishes, 576
 - cut modes, 101
 - Cut Pattern setting, 109
 - cut patterns, 109
 - cut schedules, 94–95
 - cut symbols, 768
 - cut values for family categories, 599–600, 600
 - Cutoff Level option, 581, 581
 - Cutoff Offset option, 582
 - cutouts, 843–844, 844
 - cutting voids, 309, 309
- ## D
- DARCH (Diploma in Architecture)
 - program, 896
 - dashed lines for curtain walls, 527
 - data in design process, 596

- database-level applications, **947**
- dates
 - film releases, 975
 - virtualization settings, 929, 929
- datum
 - analytic and graphic extents, **20–29**, 21–28
 - components, 19, 19
 - in groups, 409
 - levels, **19–20**, 20
- daylighting, 340, **368–369**
 - analysis tools, **369**
 - benefits, **369**
 - exporting views to 3DS Max Design, **372–379**, 372–379
 - materials, **370–371**, 370–371
 - models, **370**
 - sun. *See* sun and solar studies
- DaySIM tool, 369
- DDS CAD Viewer, 256
- deactivating views, 766
- deadlines for film and stage, 976
- debugging
 - sample project, **969–970**
 - settings, **951**, 951–952
- Default 3D View option, 373
- Default view template, 124
- Default Wrapping setting, **505**
- defaults
 - boot order, 935, 935
 - camera view for solar studies, 349
 - templates, 124, 128
- Defines Origin option, 604, 604
- Defines Slope option, 579–580, 580, 585
- Delete Element option, 219
- Delete Inner Segment option, 76, 76
- deleting
 - areas, **746**
 - constrained elements, 79, 79
 - design options, 415–416
 - edges, 303, 303
 - elements, 219
 - line patterns, 104
 - line styles, 106
 - pinned elements, 78
 - railing profiles, 660
- Delimited option, 643
- demolition phase in design exercise, **418–419**, 418–419, **422–423**, 422–423
- Deny/Retract permission option, 185
- Depth Clipping option, 39
- Description tag, 950
- design
 - curtain walls, **528**, 529
 - exercise, **416–417**, 417
 - demolition phase, **418–419**, 418–419, **422–423**, 422–423
 - design options, **430–432**, 430–432
 - existing plan, **417–418**, 417
 - proposal phase, **420–421**, 420–422, **424–426**, 424–426
 - scheduling, **427–430**, 427–430
 - film and stage
 - alternatives, **992**, 993
 - interaction, **975**, 975–976
 - options, **411**
 - creating, **411–413**, 411–413
 - design exercise, **430–432**, 430–432
 - editing, **413–414**, 414
 - removing, **415–416**, 415–416
 - viewing and scheduling, **414–415**, 414
 - Singapore Polytechnic projects, **901–902**, 902
 - sustainable. *See* sustainable design
- design elements identification, **445–446**, 446
- Design Option Set warning, 416, 416
- Design Options dialog box, 412, 412
- Design Options panel, 412–414, 412
- Design Review
 - importing markups from, **871–872**, 871
 - publishing to, **869–871**, 870–871
- Detach From Central functionality, 186, 206–207, 207
- Detail callouts, 40–41, 41
- Detail Component family, 714, 714, 721
- Detail Line tool, **706–708**, 706, 718
- Detail panel, 705
 - Detail Line tool, **706–708**, 706
 - Region tool, **708–713**, 708–713

- Detail Rotation option, 721
- Detail sections, 37–38, 37–38
- details and detailing, 151, **705**
 - from CAD files, **758–760**, 759
 - components. *See* components
 - energy models, 367, 367
 - film and stage, **978**, 978
 - fixing, **736**, 736
 - groups, 401–402, 401, **723–724**, 724, **761–762**, 761–762
 - guidelines, **735–736**
 - importing, **235–236**, 235–236, **727–728**, 727–728
 - insulation, **723**, 723
 - levels. *See* level of detail
 - lines, **706–708**, 706–708, 717–718, 717–718
 - from other Revit projects, **761–764**, 761–764
 - regions, **708–713**, 708–713
 - repeating, 721–722, 721
 - Singapore Polytechnic projects, **902**, 903
 - templates, 725
 - window family, **726–733**, 726–732
- Details tab, 367, 367
- development environment options, **951–952**, 951–952
- DevTV: Introduction to Revit API
 - Programming, 970
- DGN data
 - importing, **241–242**, 242
 - levels, 102, 229
- Diffuser Material parameter, 493
- digital markups, **868–872**, 870–871
- Dimension Text dialog box, 795, 795
- dimensions
 - adding, **794–796**, 794–796
 - complex mass families, 330, 331, 334
 - ellipses, 859, 859
 - family components, **611–612**, 611–612
 - film and stage, **978–979**
 - generic model mass families, **320–322**, 320–321
 - masses, **312–316**, 312–316
 - orthographic views, 42, 43
 - panels, 859, 859
 - temporary, **66–67**, 66–67
- Diploma in Architecture (DARCH)
 - program, 896
- disabling
 - leaders, **868**
 - worksharing, **186**, 186
- Disallow Join option, 519, 520
- Discipline setting for parameters, 798
- Disjoin option, **68**
- Dissolve tool
 - in-place solids, 302, 302
 - massing surfaces, 276, 276
- Distance setting, 541
- distances
 - calculating, 721
 - curtain walls, 541
- Divide Parts button, 889
- Divide Surface tool, 542
 - pattern-based panels, 558
 - pattern-based system, 285, 285
- Divided Surface tab, 541, 544
- divided surfaces
 - curtain walls, **540–543**, 540–543
 - pattern-based panel families for, **550–551**, 551, 558
 - pattern-based system, 285, 285
- dividing toposurfaces, **89–90**, 89–90
- Do Not Synchronize And Set Reminder
 - Intervals option, 179
- Do Not Wrap option, 505, 508
- Do U Revit blog, 527
- documentation, **42**
 - as-built, 863
 - details
 - from CAD files, **758–760**, 759
 - from other Revit projects, **761–764**, 761–764
 - legends, **757–758**, 757–758
 - parametric models, **858–860**, 859–860
 - plans, **739–747**, 740–747
 - room area, **740–741**, 740–741
 - schedules, **748–757**, 749–756
 - sheet layout, **764–769**, 766–769
 - Singapore Polytechnic projects, **902**, 903

- dolly cameras, 473, 473
- dome, glazed, 526, 526
- dome roofs, 584
- Don't Copy This Type option, 214
- doors
 - constrained, 78, 78
 - in curtain walls, 533, 533
 - in groups, 402, 402, 405–406, 405–406
 - rotating, 70
 - symbolic lines, 732
 - tags, 127–128, 127–128, 788–789, 788
- dormers, 586–589, 586–589
- Double Hung window family, 730, 730
- DoWorksets subroutine, 957–958
- Draft settings, 468, 468
- drafters, 148–150
- drafting patterns, 112–114, 113
- drafting regions, 710–711, 711
- drafting views, 40, 40
- Draw panel
 - details, 707–708, 707
 - reference points, 605, 605
- drawing area, 52, 52–53
- drinking fountains, 857
- driving geometry, 623–628, 623–628
- dRofus application, 818
- Duplicate View option, 32, 888
- duplicating. *See* copying
- DWF Export Settings dialog box, 869–870, 870
- DWF files, exporting to, 869–871, 870–871
- DWF Markups tab, 872
- DWF Properties tab, 869
- DWG Export Settings dialog box
 - Colors tab, 252, 252
 - DWG Properties tab, 246, 246, 248, 248
 - General tab, 253, 253
 - Layers tab, 246–247, 249, 249
 - Lines tab, 250, 250
 - Patterns tab, 250, 251
 - Solid tab, 252, 252
 - Text & Fonts tab, 250–252, 251
 - Units & Coordinates tab, 252, 252
 - View/Sheet tab, 244, 244

- DWG files, exporting, 242–243
- DWG Properties tab, 246, 246, 248, 248, 255
- DXF files
 - importing, 232–233
 - line weights, 226, 227
 - linked, 241–242

E

- early adoption, 11, 11
- Ecotect tool, 369
- edge-based sweeps, 626, 626
- edges
 - blends, 323–325, 324
 - floors, 570–572, 570–572
 - in-place solids, 296–306, 296, 299–301, 303, 305
 - silhouettes, 463, 463
 - slab, 569, 570
- Edit Assembly dialog box
 - roof layers, 592, 592
 - structural floors, 567
 - walls
 - articulation, 510–511, 511
 - layers, 508–510, 517
 - reveals, 514, 514
 - stacked, 524, 524
 - structure, 503, 503, 505
 - sweeps, 513, 513
- Edit Baluster Placement dialog box, 649, 649, 653, 653, 656, 656, 665, 665
- Edit Boundary button, 522
- Edit Color Scheme dialog box, 117, 117, 811, 811
- Edit Extrusion option, 612
- Edit Family option, 726
- Edit Graded Region dialog box, 95
- Edit Group option, 402, 724
- Edit Group panel, 724, 724
- Edit In-Place mode, 284–285
- Edit Label dialog box, 127, 127, 130, 793, 793, 804–805, 805
- Edit Option mode, 413–414, 414
- Edit Pasted mode, 80, 80

- Edit Pasted panel, 80, 80
- Edit Profile tool
 - dormers, 588
 - generic model mass families, 325, 325
 - walls, 22–23
- Edit Rails dialog box, 653, 653, 656, 657
- Edit Schedule dialog box, 94
- Edit Scheme button, 811, 811
- Edit Shared Parameters dialog box, 800–801, 801, 805
- Edit Surface tool, 89–90
- Edit Type dialog box, 567
- Edit Type tool
 - shelf parameters, 634
 - structural floors, 567
 - text, 773
 - wall parameters, 30
- Edit Walkthrough option, 477, 477
- Edit Wall Joins tool, 520
- Editable Elements dialog box, 186, 186
- editing
 - design options, **413–414**, 414
 - viewport types, **822–823**, 822–823
- Editing Request dialog box, 184
- Editing Request Granted dialog box, 184, 184
- Editing Request Placed dialog box, 183, 183
- Editing Request Received dialog box, 184, 184
- Editing Requests dialog box, 185, 185
- efficiency of stairs and railings, 700
- Element notes, **776**, **782**, 782
- Element Properties dialog box, 176, 180–181, 180
- elements
 - aligning, **74–75**, 75
 - arraying, **72–74**, 72–73
 - borrowing, **182–183**
 - color, 117, 118
 - copying, **69**, **80–81**, 80–81
 - groups, excluding, **405–406**, 405–406
 - locking, **77–79**, 78–79
 - mirroring, **71–72**, 71
 - moving. *See* moving elements
 - ownership in worksets, **181–191**, 181–191
 - pasting, **80–81**, 80–81
 - rotating, **70–71**, 70–71
 - scaling, 74
 - selecting, **61–62**, 62
 - time, **383–385**, 383–385
- Elements parameter, 944
- Elevation of Poche Base setting, 91
- Elevation view window, 48
- elevations
 - points, 84
 - tags, **132–134**, 133–134
 - toposurfaces, 89–91
 - views, **35–36**, 35
- Ellipse Void command, 841, 842
- ellipses dimensions, 859, 859
- emotive lighting effects, 975, 976
- Empty option for pattern-based system, 287, 287
- End of the Line nightclub, 1008–1010, 1008–1010
- end posts, 665, 669, 680–683, 682–683, 696
- end users, virtualization advantages for, **919**
- energy modeling, **358–359**, 358
 - detailed, **362–363**
 - energy analysis, **359–362**, 359–361
 - exporting to gbXML, **366–368**, 366–368
 - settings requirements, **363–366**, 364–366
- Energy Settings dialog box, 360, 360, 362
- Entourage workset, 495, 495
- envelopes in energy modeling, **363–364**, 364
- EQ function, 330, 795, 795
- eQuest energy modeling application, 363
- equinox in sun exposure, 347, 347
- errors, warnings, **161–162**, 161–162
- Esherrick, Joseph, 925
- evolution vs. revolution, **12–13**, 13
- Excel for parametric models, **860**
- excluding elements within groups, **405–406**, 405–406
- Execute function, **943–945**, 962–963
- execution plans in BIM, **194–195**
- Existing To Remain element, 397, 397

exiting requirements in parametric models, 854–855, 855–856
 exploded views, **989–990**, 989
 exploding data, **232**, 728, 728, 760
 Export As Polymesh option, 254
 Export CAD Formats dialog box, 254
 Export Complexity setting, 367, 367
 Export gbXML - Settings dialog box, 366–368, 366–367
 Export Layers dialog box, 246–247, 507, 507
 Export menu, **478**
 Export Selected Object option, 238
 Export Settings dialog box, 244, 244, 246, 246–247
 Export Setup option, 243
 exporting
 2D data, **247–253**, 247–253
 3D data, **253–257**, 254–257
 animated solar studies, **355–356**, 356–357
 AVI files, 478, 478
 daylighting views, **372–379**, 372–379
 to DWF, **869–871**, 870–871
 energy models, **366–368**, 366–368
 Hidden Line view, **475–480**, 476–479
 IFC interoperability, **255–257**, 256
 layer settings, **246–247**, 246–247
 overview, **242–243**
 preparation, **243–246**, 243–245
 railings, 663, 663
 shared coordinates for, **200**
 Extend Below Base setting, 668
 Extend Into Wall (To Core) option, 579
 extending
 lines and walls, **75–76**, 75
 wall layers, **517–519**, 517–519
 Exterior behavior of walls, 507
 exterior elevations, 36
 exterior glazing material, 111
 Exterior Wall Enclosure parameter, 509
 Exterior wrap option, 505
 external applications, **945–947**
 external commands, **943–945**
 external utility installation, **948–950**
 Extrude Curve Along Curve tool, 238

Extrude Surface tool, 238
 Extrusion End setting, 631
 Extrusion Start setting, 631
 extrusions, 615, 615
 roofs by, **582–583**, 582–583
 sketches, 490–491, 490
 visibility, 627, 627

F

F104 afterburner, 1003, 1004
 fabrication, film and stage, **979–981**, 979–981
 faces and face-based elements
 advantages, **603**
 complex mass families, 337, 337
 curtain systems on, **849–853**, 850–854
 film and stage, 994
 imported data as, **238–240**, 238–240
 in-place solids, 295–296, 296, 298, 299
 wall by face mass, **281–284**, 281–284
 wall finish, **511–512**, 512
 families, **29**, 29
 Adaptive Component, **559–560**, 559–560
 categories. *See* categories
 components. *See* components
 generic model outline, **828–829**
 building footprint, **829–839**, 829–835, 837–838
 building massing, **839–845**, 840–846
 conceptual massing, **839**
 imported data in, 231
 Keynote, **787–788**, 788
 mass, **264**, 264
 complex, **329–338**, 329–337
 generic model, **318–329**, 318–329
 simple, **311–318**, 311–317
 pattern-based panel
 building, **546–550**, 547–550
 loading, **550–551**, 551
 pyramid curtain wall, **551–555**, 551–555
 size limiting, **556–558**, 557–558
 purging, **154–155**, 155
 tags, **126–127**, 126
 template selection, **598–601**, 598–600
 worksets, 169

Family Already Exists dialog box, 509
 Family Category And Parameters dialog box, 804, 805
 Family Editor, **595**
 components. *See* components
 family template and category selection, **598–601**, 598–600
 geometry
 carving, **618–619**, 619
 cut display, 101
 driving, **623–628**, 623–628
 overview, **615**, 615
 panels, 528
 labels, 126
 Load Into Project option, 509
 masses, 262, 264–265, 264, 309–310
 offsets in, 77
 overview, **596–597**
 projection and cut values, **599–600**, 600
 scaling in, 74
 schedules, **599**, 599
 shelf. *See* shelf
 solid and void relationships, **616–618**, 616–618
 tags, 126–127, 130–131, 793
 text, 126
 Family Element Visibility Settings dialog box, 609, 609, 733, 733
 Family option for legends, 758
 Family Types dialog box
 complex mass families, 329, 330, 335, 335–336
 formulas, 636–637, 638
 materials, 639, 640
 shelf parameters, 633–634
 type catalogs, 640, 642
Fantastic Four
 airlock, 973, 983, 983, 989, 990, 996–1097, 996–997
 production, **999**, 999–1000
Fantastic Four: Rise of the Silver Surfer
 Fantastical, 980, 980
 lab, 982, 982
 pagoda, 979, 979–980, 1002, 1002–1003

Fantastical, 980, 980
 Far Clip option, 39
 Far Clip Offset option, 45, 45–46
 fashion show in Singapore Polytechnic project, **898**, 898–899
 FBX format, 246, 372, 373
 female lavatories, 857
 fields and Fields tab
 keynote legends, 786, 786
 parts, 891, 891
 schedules, 94, 158, 341–342, 341, 750, 750, 753–754
 Sheet List schedules, 756
 window-to-wall ratio, 346
 File Locations tab
 keynotes, 780
 templates, 134, 134
 File Save Options dialog box, 172, 207, 207
 file size, **154–157**, 155–157, 920
 Files Of Type option, 241
 Fill Available Space option, 721
 fill patterns
 creating, **113–114**, 113
 importing, **114–116**, 116
 overview, **111–113**, 112
 railings, 657
 Fill Patterns dialog box, 111, 112, 115, 657
 fill schedules, **94–95**
 Filled Region tool, 709, 711
 filled regions, 708–710, 708–710
 boundaries, 715, 715–716
 creating, **711–713**, 712–713
 types, **710–711**, 711
 fillet arcs, **830–836**, 831–835
 film and stage, **973**
 best practices, **992–997**, 993–997
 construction, **981**, 981
 design
 alternatives, **992**, 993
 interaction, **975**, 975–976
 overview, **974–975**
 details, **978**, 978
 dimensions, **978–979**

examples

Fantastic Four, **999**, 999–1000
Fantastic Four: Rise of the Silver Surfer,
1002, 1002–1003
I, Robot, **997–998**, 998
*Night at the Museum: Battle of the Smithso-
 nian*, **1003**, 1003–1004
Snakes on a Plane, **1001**, 1001–1002
Sucker Punch, **1011–1015**, 1011–1016
Tron Legacy, **1008–1010**, 1008–1010
Watchmen, **1004–1007**, 1005–1007
X-Men: The Last Stand, **1000**, 1000–1001

exploded views, **989–990**, 989

fabrication, **979–981**, 979–981

family categories, **993–995**, 994

form/transparency, **982**, 982

geometry

creating, **995–997**

flexible, **992**

nesting, **993**, 993

lead time and production,

976–977, 976–977

level of detail, **979**, 979, **992**

lighting/shadows, **983**, 983

materials, **984**, 984

photorealistic renderings, **989**

rendering and visualization,

984–988, 984–989

Revit to CGI workflow, **990**, 991–992

schedules, **977**

templates, **982**

worksharing, **997**

Filter By Sheet option, 786, 787

Filter dialog box, 63, 63, 365, 365

Filter tool, 62–63

filters and Filter tab

generic host elements, 445–446, 446

keynote legends, 786, 787

keynote schedules, 160

matter-rendering, 984, 984

parameters

applying, 384–385, 385

project, **440–442**, 440–443

user-defined, **443–445**, 443–445

phase, 354, 354, 389, 389, 882, 984–985, 985

properties, 50

room elements, 365, 365

schedules, 342–343, 343, 751, 751

selection, **62–63**, 63, 65

view phase, 394, 395–396

views, **121–122**, 122, 156, 156

Filters dialog box

generic host elements, 446, 446

project parameters, 440, 440

user-defined parameters,
 443–444, 443–444

Final Gather setting, 736

Fine detail level, 734, 735

Finish Edit Mode button, 92

finish face materials for walls, **511–512**, 512

finishes, floor, **574–576**, 574–576

firm culture in BIM, **11–13**

Fixed Distance option, 721

Fixed Number option, 721

Fixed Rotation option, 133

flashing, 732, 732

floor area faces, **264–266**, 265–266

complex mass families, 337, 337

creating, **268**, 268

generic model mass families, 326, 327

Floor By Face tool, **568**, 568

Floor Edge option, 571

Floor Plan callouts, 38–39, 39

floors

attaching to walls, **522**, 522

collaboration and ownership, **566**

copying, **215**

edges, **570–572**, 570–572

finishes, **574–576**, 574–576

floor by face method, **568**, 568

joining walls to, **79**, 79

overview, **563–564**, 564–565

pads, **569**, 569

reflectance settings, 371

shapes, **589–590**, 589–590

sketching, **573–574**, 573

slab edges, **569**, 570

structural, **566–568**, 566–568

window-to-wall ratio, 344–346, 345

Floors Only view, 571

- folders
 - views, 119–120, 119
 - virtualization, **930–931**, 930–931
- Folders tab, 119–120, 119
- fonts
 - exporting, 243, 250–252, 251
 - mapping, **227–228**
 - temporary dimensions, 67
- footcandles
 - defined, 368
 - readings, **379–380**
- footprints
 - building, **829–839**, 829–835, 837–838
 - roofs, **578–582**, 578–582
- foreground setting for imported data, **230**
- Format dialog box
 - labels, 128
 - roofs, 580, 580
 - toposurfaces, 87
- Format panel for text, 774–775, 774
- Formatting tab
 - schedules, 159, 343, 752, 752
 - multicategory, 159, 159
 - pattern-based panels, 561
 - Rentable Area, 755
 - window-to-wall ratio, 346
- forms
 - film and stage, **982**, 982
 - massing, **278–279**, 278–279
 - user
 - class constructors, **956**
 - controls, **954–956**, 955
 - helper subroutines, **957–959**
- Forms tab for Sweep tool, 324, 324
- formula-driven massing, **309–310**, 310–311
 - complex mass families, **329–338**, 329–337
 - generic model mass family, **318–329**, 318–329
 - simple mass families, **311–318**, 311–317
- formulas
 - distance, 721
 - masses, **262**
 - schedules, 341–342
 - shelf brackets, **636–638**, 636–638
 - triangles, 832

- Foster, Norman, 905
- Foundation behavior, 507
- foundations
 - modeling, 879
 - walls, 507
- frames in exported animated solar studies, 356
- framing elevations, 36
- freestanding elements
 - mirroring, 72
 - moving, 68
 - rotating, 70
- Full Explode option, 760
- Full Frames (Uncompressed) option, 356
- full-screen mode for virtualization, 934, 934
- FullClassName tag, 949
- Function column for walls, **504**
- Function type property for walls, **507**, 507
- fuselage, 1011–1012, 1011–1012

G

- gaffers, 975
- gbXML model, 363, **366–368**, 366–368
- General Services Administration (GSA), 748
- General tab
 - DWG Export Settings, 253, 253
 - energy model exporting, 367
 - Lighting Analysis Assistant, 374, 374
 - local files, 175, 175
 - permissions, 191
- Generic Model line family, 858–859
- generic model mass families, **318–329**, 318–329
- generic model outline families, **828–829**
 - building footprint, **829–839**, 829–835, 837–838
 - building massing, **839–845**, 840–846
 - conceptual massing, **839**
- Generic Models family template, 598, 598
- geometry
 - carving, **618–619**, 619
 - Copy/Monitor tool, 196
 - driving, **623–628**, 623–628

- film and stage
 - creating, **995–997**
 - flexible, **992**
 - nesting, **993**, 993
 - floor edges, 572
 - nesting, **614**
 - pattern-based panels, 290, 290,
 - 546–550, 548–550
 - phases, **381–383**, 386, 386,
 - 390–393**, 391–393
 - types, **615**, 615
 - visualization, **481–482**, 481–482
- GFA (Gross Floor Area) parameter, 848
- Ghost Surfaces option, 54, 54, 456, 456,
 - 482, 482
- Gibbons, Dave, 1004
- glare, 368
- glass stairs, **694–699**, 695–699
- glazed dome, 526, 526
- glazed panels, 528, 533, 533
- glazing
 - creating, 111
 - and daylighting, 340
 - doors, 533, 533
 - Karnak, 977, 977
 - settings, **371**, 371
- Glazing Is Shaded property, 362
- goal setting in BIM, **10–11**, 10–11
- Google Maps, 437
- Google SketchUp, 237, **253–255**, 254–255
- Graded Region tool, 94–95
- Gradient Background option, 352
- gradient backgrounds in sun studies, 352
- Grand Totals option, 157, 342
- Grant option for permissions, 185
- granting permissions, **184–185**, 184–185
- graphic appearance for Design Review
 - markups, 872
- Graphic Display Options dialog box, 456, 456
 - ambient lighting, 462, 462, 464, 464
 - animation paths, 476, 476
 - location, 363
 - masses, 310, 310
 - shadows, **54**, 54, 457, 458, 460, 460
 - solar studies, 349–352, 350, 354–355
 - sun intensity, 459, 459
- graphic extents, **20–29**, 21–28
- graphic overrides for imported data, **231**, 232
- Graphic Overrides tab
 - materials, 439, 439
 - phasing, 390, 390, 392, 392
- graphics cards, **920–921**
- Graphics tab
 - materials, **108**, 109
 - selection colors, 61
 - temporary dimensions, 67
- Gray Inactive Worksets button, 176
- Green Building Studio service, 359–360,
 - 847**, 847
- green screens, 981, 981
- grid justification markers, 542
- Grid Line option, 528
- Grid Line Segment option, 528
- Grid Pattern: Layout options, **536–537**
- grid segments for curtain walls,
 - 530–532**, 530–532
- grids, 19
 - copying, **215**
 - curtain systems, **850–851**, 850–851
 - curtain walls
 - customizing, **530–532**, 530–532
 - description, 527, 527
 - panels, 529, 531–532
 - UV, **540–546**, 541–542, 546
 - guide, **766–767**, 767
 - light meters, 376, 377
 - worksets for, 47, 168
- Grips tool for text, 772
- gross area, 741–742
- Gross Floor Area (GFA) parameter, 848
- Group And Associate option, 74
- Group Parameter Under tool, 799
- groups, **400**
 - arrays, 74
 - best practices, **409–411**, 410
 - copying, 401, 401, 403, 403
 - creating, **400–404**, 400–404
 - detail, 401, 402, **723–724**, 724,
 - 761–762**, 761–762

excluding elements within,
405–406, 405–406
 light, **486–495**, 486–495
 from links, **407–409**, 407–409
 modifying, **402–403**, 402–403
 names, 406, 761, 801, 801
 purging, **154–155**, 155
 saving and loading, **406–407**, 406–407
 GSA (General Services Administration), 748
 guest computers in virtualization, **918**
 Guide Grid command, 766
 guide grids, **766–767**, 767
 Gypsum Wall Board, 370

H

half-lit effect, 486
 hand sketching, **898–899**, 899–900
 Handler, Laura, 873–874, 880
 handrails. *See* railings and handrails
 happiness vs. time in technological adoption,
11–12, 12
 hard disks for virtualization, **937**, 937
 Hardin, Brad, 874
 hardware
 Bohlin Cywinski Jackson,
 927–939, 927–939
 printer ports for virtualization, 938, 938
 Hatch Pattern In Dwg menu, 250, 251
 hatch patterns, 111
 head/tail graphics, **131–132**, 132
 Height setting, 356
 Height At Tail setting, 585
 Height Offset At Head setting, 585
 Height Offset From Level setting, 95, 577
 heights
 animated solar studies, 356
 labels, 128
 mass families, 314–315, 314–315, **322**, 322,
 325, 325
 roof slope, 585
 room, **364–365**, 365
 schedules, 768, 768
 helper subroutines
 sample project, **966–967**
 user forms, **957–959**

hexagon-shaped panel, 555, 555–556
 Hidden Line view
 composite, 987, 987–988
 edges and faces, 453, 454
 exporting, **475–480**, 476–479
 filters in, 442, 443
 Hide In View setting, 872
 hiding
 cropping, 34, 34
 Design Review markups, 872
 linked file elements, 210
 section boxes, 254, 255
 Higgins, John, 1004
 Highlight In Model tool, 753
 Homaili, Muhammad Nicco Bin, student
 project by, **903–904**, 904
 Home option for ViewCube, 56
 Home tab, 57, 57
 horizon simulation, 462, 462
 horizontal exiting width requirements, 857
 hospital case study
 construction stage, **878**, 878
 preconstruction planning,
 874–877, 875–877
 set-out drawings, **878–880**, 878–880
 host families
 components, **601–603**, 602–603
 in design process, 29, **596–597**
 Host Length option for legends, 758
 hosts
 in groups, 409–410
 in virtualization, **917**, 938, 938
 Hui, Thio Jian, student project by,
908–909, 908–909

I

I, Robot
 nesting geometry, 993, 993
 production, **997–998**, 998
 walkway, 984, 984
 IAI (International Alliance for
 Interoperability), 255
 identifying design elements, **445–446**, 446
 Identity tab for materials, **108**, 782, 783
 IES <VE> energy analysis tool, 363

- IEternalApplication interface, **945–947**, 953, 965
- IEternalCommand interface, **943–945**, 953, 962–963
- IFC (Industry Foundation Classes) data model, **255–257**, 256
- IFC Engine Viewer, 256
- Ignore New Elements option, 219
- illuminance, 368
- immediate grids in curtain systems, 851
- implementability of stairs, 649
- Import CAD Formats dialog box, 727, 727
- Import CAD tool, 229, 760, 760
- Import Instance Query dialog box, 230, 230
- Import Line Weights dialog box, 226–227, 227
- Import panel, 759
- Import Units option, 229
- Imported Categories tab, 231
- imported data
 - exploding, **232**
 - as faces, **238–240**, 238–240
 - in families, 231
 - foreground and background, **230**
 - graphic overrides, **231**, 232
 - as mass, **236–237**
 - as objects, **241–242**, 242
 - for toposurfaces, **85–86**, 86
 - visibility of layers and levels, **230–231**, 230–231
- Imported Objects tab, 102, 231, 242
- importing, **226**
 - 2D data, **232–236**, 234–236
 - 3D data, **236–242**, 238–240, 242
 - Design Review markups, **871–872**, 871
 - details, **235–236**, 235–236, **727–728**, 727–728
 - fill patterns, **114–116**, 712, 712
 - guidelines, **232**, 760
 - vs. linking, **228**, **759–760**, 759
 - options, **228–229**, 229
 - settings, **226–228**, 227
 - team coordination for, **234**, 234
 - views, 763–764, 764
- In Entire Project option, 63, 181
- In-Place Mass tool, 539
- in-place masses
 - creating, **264–266**, 265–266
 - walls, **262–264**, 263, 539
- in-place roofs, **584**, 584
- in-place solids, **294–309**, 294–309
- in-place surfaces, **280**, 280–281
 - pattern-based system, **284–294**, **285–293**
 - wall by face, **281–284**, 281–284
- in-place walls, **523**, 523
- in-session lists, 244
- Include Elements In Linked Files option, 750
- Indiana University, **196–197**, **221**
- Indirect Illumination tab, 376, 377
- Individual Owners tab, 188, 189
- Industry Foundation Classes (IFC) data model, **255–257**, 256
- infill, wall types as, 528
- InfoCenter, **50**, 50
- initialization functions for user forms, 956
- InitializeComponent function, 956
- innovation vs. predictability, **11–12**, 12
- Insert 2D Elements dialog box, 139, 139
- Insert 2D Elements From File option, **138–139**, 138, 762, 762
- Insert From File option, 764–765, 764
- Insert Views dialog box, 138, 138, 764, 764
- Insert Views From File option, **137–138**, 763
- inserting and Insert tab, 57, 57
 - annotations, 125
 - Design Review markups, 871
 - duplicating with, 139
 - group links, 406, 406
 - groups, 762, 762
 - imported data, 226, 229, 237
 - linked data, 210, 235, 759
 - portability setting, 205
 - property lines, 93
 - tags, **789–790**, 789
 - toposurfaces, 85
 - views, **137–138**, 138, 763–764, 764
- insertion points
 - family components, **603–604**, 604
 - groups, 404, 404
 - stairs, 672

inserts for stacked walls, 525, 525
 Inside option for repeating detail, 721
 instance parameters
 family components, 613–614, 614
 overview, 30, 30
 purpose, 799
 railings, 667
 roofs, 581, 581
 insulation, 723, 723
 Insulation tool, 723, 723
 “Integrated Project Delivery: A Guide”, 195
 integrated project delivery (IPD) environment
 contractors, 874
 overview, 194–195
 Tocci Building Corporation case
 study, 882–884
 intelligent bonds, 196
 interface. *See* user interface
 Interference Check dialog box, 223, 223
 Interference Check tool, 196–197, 222
 interference checking, 220
 architect link, 198
 exercise, 222–223, 223–224
 purpose, 196–197
 tools, 222
 Interference References button, 888
 Interference Report window, 223, 224
 Interior behavior of walls, 507
 interior elevations, 36
 interior illumination. *See* daylighting
 Interior wrap option for walls, 505
 intermediate adoption, 11, 11
 International Alliance for Interoperability
 (IAI), 255
 interoperability, 225
 BIM curve, 225, 226
 exporting. *See* exporting
 importing. *See* importing
 Intersecting Named References dialog box,
 888, 888
 intersections for in-place solids, 296–297
 intersects, dividing surfaces with,
 542–543, 543

Intersects List option, 543
 intervals, saving at, 178–179, 178
 intuitive massing, 262, 279–280, 280
 in-place solids, 294–309, 294–309
 in-place surfaces, 280, 280–281
 pattern-based system, 284–294, 285–293
 wall by face, 281–284, 281–284
 investment in BIM, 13–14
 <Invisible> lines, 708–709, 725
 IPD (integrated project delivery) environment
 contractors, 874
 overview, 194–195
 Tocci Building Corporation case
 study, 882–884
 ironCAD tool, 974
 Issued setting, revisions, 865
 IT virtualization advantages, 918–919
 Itemize Every Instance option, 157, 752, 756

J

J. H. Findorff & Son case study, 874
 construction stage, 878, 878
 preconstruction planning,
 874–877, 875–877
 set-out drawings, 878–880, 878–880
 Japanese temple set, 1013, 1013
 Join Condition options, 536
 Join Geometry tool
 floor finishes, 576
 forms, 620
 poches, 466
 working with, 79, 79
 Join/Unjoin Roof tool, 587
 joins
 handrails, 662–666, 663–666
 phasing, 383–384, 383–384
 walls
 editing, 519–521, 519–521
 to floors and roofs, 79, 79
 limitations, 210
 links vs. groups, 408, 408
 Joint Gap distance setting, 76

K

Karnak set

- detail, 977, 977, 990, 991
- green screens, 981, 981
- main hall, **990**, 991–992
- production, **1004–1005**, 1005–1007

Keep Readable option

- elevation tags, 133
- filled regions, 713
- patterns, 113

Key Frame Editor, 477, 477

key frames, **477–478**, 477key schedules, **750**, 854, 855

Key Value field, 786

keyboard shortcuts, **82**, 82

Keyboard Shortcuts dialog box, 82, 82

Keynote command, 772, 772

Keynote Legend button, 786, 786

Keynote Legend Properties dialog box,
786, 786

Keynote Text field, 786

Keynote tool, 160, 776

keynotes, 772

- behavior and editing, **777–778**, 777
- family, **787–788**, 788
- files, **778–779**, 778–779
- legends, 40, 41, 757, **785–787**, 786–787
- loading, **781**
- managing, **778**
- overview, **775–777**, 776
- schedules, **160–161**, 160–161, **787**
- settings, **780–781**, 780
- types, **781–785**, 781–785

Keynotes dialog box, 779, 779, 781, 781,
783, 783

Keynoting Settings dialog box, 780–781, 780

Kosinski, Joseph, 1015

Kron, Zachary, 294, 860

L

L Corner Mullion type, 534

labels

- adding, 793, 793, 797
- doors, **127–128**, 127–128

- shared parameters, 804–806, 805–806
- vs. text, **126–127**, 126

lampposts, 660, 660–661

landings for glass stairs, 695

LanguageType tag, 950

large CAD data linking, **233**large teams, working in, **151–153**, 152–153

LargeImage tag, 950

late adoption, **10**, 10

lavatories, 857

Lawrence Berkeley National Laboratory
(LBNL), 363

Layer Modifiers option, 249

layers

- color, 227, 246, 247
- export settings, **246–247**, 246–247
- exporting, 249, 249
- importing, 229, 727, 727
- names, 246, 247
- visibility, **230–231**, 230–231
- walls, 505, 507, 507
 - extending, **517–519**, 517–519
 - Layers table, **503–504**, 504
 - merging, 512, 512
 - wrapping, **505**, 505, **508–510**, 508–510

Layers tab, 249, 249

Layers table, **503–504**, 504laying out sheets, **764–769**, 766–769Layout settings for repeating detail, **721**LBNL (Lawrence Berkeley National
Laboratory), 363lead time in film and stage, **976–977**, 976–977

Leader option

- property lines, 93
- revision clouds, 868

Leader Location option, 774, 774

Leader Tick Mark setting, 796

Leader Type setting, 796

leaders

- dimensions, 796, 796
- property lines, 93
- revision clouds, **868**
- tags, **790**
- text, 774, 774

Leadership in Energy and Environmental
Design (LEED) certification, 341

Legend Components settings, 758, 758

Legend tool, 757

legends, 748

color fill

overview, **809–810**, 809–810

rooms, **810–817**, 811–812, 814–818

creating, **757–758**, 757–758

keynote, 40, 41, 757, **785–787**, 786–787

types, **40**, 40–41

walls, **758–759**, 758–759, 769, 769

Length/Format dialog box, 355–356, 356, 449,
449, 478, 478

Length parameter for brackets, 636, 638

lenses, **491–494**, 491–493

level of detail

CGI work, 990

film and stage, **979**, 979, **992**

stairs, 678

visual styles, **451–453**, 451–452

levels, 19

3D exports by, **257**, 257

copying, **215**

creating and duplicating, **19–20**, 20

floor area faces, 267–268, 267–268

generic model mass families, 326, 327

visibility, **230–231**, 230–231

worksets for, 47

levels of development (LODs), 501

libraries for views, 764, 764

lift drawings for masonry, 880

Light, David, 561

light meters, **376–378**, 377

lighting

ambient, **462–464**, 462–464

ceiling, **485–486**, 485

daylighting. *See* daylighting

film and stage, 975, 976, **983**, 983, 994

light groups, **486–495**, 486–495

Tron Legacy, 1009, 1009

Lighting Analysis Assistant, **373–379**,
374–375, 377

Lighting Analysis menu, 373, 374

Lighting category for film and stage, 994

Lighting Fixtures categories, 490, 490

Lighting option for sun, 349, 449

Lighting tab, 374–376, 375

limits, joins, 210

Line Color settings, 102

Line Pattern Properties dialog box,
104–105, 104–105

Line Pattern settings, 102

Line Patterns dialog box, 103–104, 103

Line Style panel, 706–707, 706

Line Styles dialog box, 105–106, 105, 707, 707

line weights

importing, 226–227, 227

setting, **102–103**, 103, 600, 600

Line Weights dialog box, 103, 103,
600, 600

linear arrays, 72

linear design, 382

lines

converting, 729, 729

details, 717–718, 717–718

exporting, 250, 250

offsetting, 77, 77

patterns, **103–105**, 103–105

property, **92–94**, 92–94

reference. *See* reference lines

removing, 725

splitting, **76–77**, 76

styles

changing, 729, 729

selecting, **706–707**, 706–707, 725

setting, **105–106**, 105

symbolic, 732, 732

trimming and extending, **75–76**, 75

Lines tab, 250, 250

linework details, **725**, 725

Linework tool, 105, 725, 725

Link CAD Formats dialog box, 233, 235

Link CAD tool, 229, 759, 759

Link Markup Pages to Revit Sheets dialog
box, 871, 871

Link panel, 759

Link Revit option, 406, 406

- linked data and models, 195–198, 195, 197
 - attachment vs. overlay, 205–206, 206
 - benefits and limitations, 210
 - CAD topographies, 85–87, 86
 - coordinate acquisition and publishing, 201–202, 202
 - exercise, 210–211
 - exploding, 232
 - foreground and background, 230
 - graphic overrides, 231, 232
 - groups from, 407–409, 407–409
 - overview, 198, 199
 - project base points and survey points, 202–205, 202–204
 - shared positioning, 199–200, 201
 - visibility in, 211–212, 211–212, 230–231, 230–231
 - with worksharing, 206–209, 207–208
- linking
 - Design Review markups, 871, 871
 - vs. importing, 228, 759–760, 759
 - large CAD data, 233
 - options, 228–229, 229
- Linking Worksets dialog box, 209
- lists
 - in-session, 244
 - text, 775, 775
- live models, revisions in, 865
- Load As Group option, 406
- Load Family dialog box
 - property lines, 93
 - section types, 131
- Load From Library panel, 533
- Load Into Project option, 509, 730, 730
- Load Into Projects button, 131, 550
- Load Lighting Analysis Render Preset option, 374
- Load Weather Data button, 375
- Loaded Tags tool, 125
- loading
 - groups, 406–407, 407
 - keynotes, 781
 - pattern-based panel families, 550–551, 551
 - tags, 790, 790

- team member work, 179, 179
- weather data, 375, 376
- local copies, worksharing, 165
- local files
 - benefits, 171
 - creating, 173–176, 174–176
- Local Weather And Site dialog box, 360, 360
- location setting, 363
- Location Weather and Site dialog box, 202, 202, 350, 351
- Lock/Unlock 3D View button, 821
- locking
 - elements, 77–79, 78–79
 - views, 470–471, 470
- LODs (levels of development), 501
- lonely BIM, 193, 880
- LongDescription tag, 950
- look-ahead projections, 881
- louvers, 539, 539
- Lowe, Josh, 873–874
- Lu, Cheung Hon, student project by, 911, 911
- luminance, 368

M

- Mac OS X, 916
- macros in VSTA, 948
- maglev, 1014–1015, 1014–1016
- Main Pattern section for balusters, 654
- Make Elements Editable option, 181
- Make Plan View option, 19
- Make Primary button, 416, 416
- Make Surface From Closed Loops option, 311, 311
- Make This A Central File After Save option, 173, 207
- Make Workset Editable option, 169
- male water closets, 857
- Manage Links dialog box
 - Coordination Review tool, 217, 219
 - Design Review markups, 872
 - imported data, 228, 237
 - reference types, 205, 206
 - worksets, 209

Manage Project panel, 187

Manage tab, **58–59**, 58

- coordinates, 201–202

- design options, 412

- Design Review markups, 872

- fill patterns, 115

- imported data, 242

- line patterns, 104

- line styles, 105–106, 707

- location, 363

- materials, 107, 370

- object styles, 100, 231

- Purge Unused tool, 154

- revisions, 863

- section types, 131

- shared parameters, 800–801

- templates, 136

- True North, **351**

- views, 119–120, 129

- warnings, 161

management, **47–48**, 47

Manna, Robert, 135, 860

mapping fonts, **227–228**

markups, digital, **868–872**, 870–871

Martin, Teresa, 199–200

masking regions and Masking Region tool

- details, 708–709, 715–717, 716,

- 729–731**, 729–731

- labels, 128

masonry lift drawings, 880

mass faces, curtain systems on,

849–853, 850–854

mass families, **264**, 264

- complex, **329–338**, 329–337

- generic model, **318–329**, 318–329

- simple, **311–318**, 311–317

mass floors

- calculations, 237

- scheduled, 42, 269, 269, **849**, 849

- selecting, 268

- window-to-wall ratio, 344–346, 345–346

Mass Floors button, 268, 345

Mass Floors dialog box, 345, 345

Mass option for solar studies, 349

mass schedules, **848–849**, 848

masses

- building, **839–845**, 840–846

- conceptual, 839

- creating, **262**, **266–267**, 266–267,

- 271–272**, 271–272

- family component, **264**, 264

- floor area faces, **264–268**, 266–268

- forms, **278–279**, 278–279

- formula-driven, **309–310**, 310–311

- complex mass families, **329–338**, 329–337

- generic model mass family,

- 318–329**, 318–329

- simple mass families, **311–318**, 311–317

- imported data as, **236–237**

- in-place, **262–266**, 263, 265–266

- intuitive. *See* intuitive massing

- overview, 261–262

- scheduling, 42, **264–266**, 265–266,

- 269–270**, 269–270

- surfaces, **273–277**, 273–277

Massing & Site tab

- building pads, 91

- imported data, 237, 239

- in-place massing, 265, 265

- pattern-based panel scheduling, 560

- property lines, 92

- schedules, 95

- tools, 58, 58

- toposurfaces, 84–87

- window-to-wall ratio, 344

massing studies in Singapore Polytechnic

project, **900–901**, 900

Massing toolset, 900

master keynote files, **778**

master schedule component families, 42

Match Type Properties tool

- ceilings, 577

- floors, 563

- working with, **65**

matching properties, **65**

Material Keynote tool, 783, 783

Material Takeoff Properties dialog box,
341–343, 341, 343

Material Takeoff schedules, 41

description, 748–749

floor finishes, 574

recycled content, 341, 341

materials and Materials dialog box,

107, 107–108

daylighting, 370–371, 370–371

family components, 610–611, 610–611

filled regions, 713

film and stage, 984, 984

geometry phase, 392, 392

keynotes, 777, 783–785, 783–785

lenses, 493–494, 494

Lighting Analysis Assistant, 374, 374

monochromatic views, 438–439, 438

properties, 108–110, 109–110

railings, 656, 657

shelf, 640–641, 640–641

strategies, 111

tags, 792, 792

toposurfaces, 88

visualization, 496, 496

walls, 504–505, 504

walls finish face, 511–512, 512

Materials Editor, 107, 108

Materials tab, 374, 374

MathWorld site, 861

matte material, 439

matter-rendering filters, 984, 984

Maximum Distance setting for curtain

walls, 541

Maximum Spacing setting for repeating

detail, 721

Maya for film and stage, 990

McDowell, Alex, 1004, 1015

Medium detail level, 734, 735

memory for virtualization, 917, 920, 927, 927

menus, context, 65–66, 65

Merge region tool, 512

merging wall layers, 512, 512

Message parameter, 943

metadata, 684

MicroStation, 925

Minimum Bracket Space parameter,
636–637, 636

Minimum Distance setting, 541

Mirror tool, 71

Mirror - Draw Axis tool, 71

Mirror - Pick Axis tool, 71

mirroring

elements, 71–72, 71

groups, 410–411

stairs, 667, 667

Mission Impossible, 1015

Model By Face panel, 239

Model Categories tab

linked files, 212, 212

points, 202

Model In-Place tool, 27, 27, 523

model lines, 271–272, 271–272

Model Objects tab, 101, 101

model patterns, 109, 112–113

Model tab for solar studies, 349

modelers, 148

models and modeling

energy, 358–359, 358–361

energy analysis, 359–362, 359–361

exporting to gbXML, 366–368, 366–368

settings requirements, 363–366, 364–366

foundations, 879

groups, 401, 402

linked. *See* linked data and models

regions, 711, 711

Modify Camera tab, 472

Modify option for Coordination Review, 219

Modify panel for details, 708, 708

Modify Returns button, 516

Modify Sub Elements tool, 590–591

Modify tab, 59, 59

alignment, 74

floor edges, 572

floor finishes, 575–576

Match Type Properties tool, 65

object subcategories, 493, 493

Paint tool, 496, 496

tool changes, 61, 62

wall joins, 520

Modify tools

- behavior, 67
- Create Similar tool, 82
- Modify Vertical Structure settings, 505
- monochromatic views, **437–440**, 438–440
- monorails as railings, 660–661, 661
- Moore, Alan, 1004
- Move option, 219
- Move To 2nd option, 72–73, 72
- Move To Last option, 72–73, 73
- Move To Start Up Location option, 200
- Move tool, **68**, 68
 - text, 772–773
 - wall layers, 518, 519
- Moves With Nearby Elements option, **68–69**, 69, 603, 603
- moving elements, **66**
 - Move tool, **68**, 68
 - nearby, **68–69**, 69
 - nudging, **68**
 - point, 330, 330
 - temporary dimensions, **66–67**, 66–67
 - between worksets, **179–181**, 180
- Mullion tool, 532, 585
- mullions
 - corner, **534–535**, 534
 - curtain walls, 528, 530, **532**, 532, **537**
 - profiles, 851
 - roofs, 585
- Multi-Category schedules, 42, 749
- Multi-Category tags, **792–794**, 793
- Multi-Day option, 349, **355**, 449
- multicategory schedules, **158–159**, 158–159
- multiplatform work. *See* interoperability
- Multiple Alignment option, 74
- multiple details, saving, **762–764**, 763–764
- Multiple Elements tool, 75
- Multiple option
 - copying elements, 69
 - Move tool, 68
- multiprocessors for virtualization, 917
- Multiselect tab for groups, 402
- My Adaptive Panel type, 560

N

- Name dialog box, 132
- Name tag, 949
- names
 - assemblies, 892, 892
 - central files, 173
 - conventions, **153**
 - energy analyses, 361, 361
 - groups, 406, 761, 801, 801
 - layers, 246, 247
 - masses, 266, 326, 326
 - parameters, 799
 - regions, 709
 - schedules, 341
 - schemes, 812
 - section tags, 132
 - standards, 247
- namespace references, 953, 953
- National CAD Standard, 247
- National Institute of Building Sciences, 3
- natural light. *See* daylighting
- Navigation bar, **57**, 57
- Navigation Wheel, 57, 473, 473
- Navisworks Manage tool, 222
- nearby elements, moving with, **68–69**, 69
- Nemetschek IFC Viewer, 256
- nested components for film and stage, 994
- nesting
 - geometry
 - benefits, **614**
 - film and stage, **993**, 993
 - groups, 409
 - railing elements, **659–661**, 660
 - shelf brackets, **631–633**, 631–632
- .NET Framework, **942**
- New Area Plan dialog box, 742–743, 743
- New Assembly dialog box, 892, 892
- New Construction phase, 390, 394, 394
- New Drafting View dialog box, 235, 235
- New Family - Select Template File dialog box, 29, 29, 804, 804
- New Legend View dialog box, 757, 757
- New Material Takeoff dialog box, 341

New Pattern dialog box, 113, 115–116, 712, 712
 New Plan dialog box, 19–20, 20
 New Project dialog box, 100, 100, 953, 953
 New Schedule dialog box, 42, 42, 749, 749
 categories, 599, 599
 masses, 269, 269
 pattern-based panel scheduling, 561
 New Sheet dialog box, 756–757, 756
 New subroutine, 960
Night at the Museum: Battle of the Smithsonian,
 1003, 1003–1004
 nonhosted family components,
 602–603, 602–603
 north exposures, 343–344
 nosing profiles for stairs, 672–673, 672–673
 nosing structures for stairs, 654
 Note Block schedules, 41, 749
 notifications of permissions, 184, 184
 nudging elements, 68
 numbered lists, 775
 numbering
 keynotes, 781
 revisions, 865–866, 865
 Numbering Method settings, 781
 numerical ranges for color schemes,
 816–817, 817–818
 nurse's station, 1012, 1012

O

object styles and Object Styles dialog box,
 100, 101
 annotation objects, 102
 cut properties, 599, 600
 family components, 612–613, 612–613
 imported data, 102, 231, 232
 line styles, 106
 model objects, 101–102, 101
 reference lines, 272, 272
 revision clouds, 866
 subcategories, 493, 493
 Object Styles setting, 59
 objects, imported data as, 241–242, 242
Oblivion, 1015

occupancy keys, 854, 855
 occupancy schedules, 856, 856
 Offset tool, 77, 77
 offsets
 cameras, 45, 45–46
 lines and walls, 77, 77
 One Baluster Per Tread option, 682
 onion-shaped roofs, 584, 584
 onShutdown function, 945–947, 965–966
 onStartup function, 945–947, 965–966
 Open dialog box
 central files, 206, 207
 elevation tags, 132
 groups, 762, 762
 section tags, 130
 opening linked models, 210
 optimizing performance
 resolution settings, 469, 470
 virtualization, 928, 928, 937, 937
 Options Bar, 59, 59
 Options dialog box
 keynotes, 780
 local files, 175, 175
 permissions, 191
 selection colors, 61
 templates, 134, 134
 temporary dimensions, 67
 ViewCube, 56, 56
 Options menu for ViewCube, 56
 Orb Void Model Lines family, 844, 845
 Orbital Scale setting, 375
 organizing views, 119–121, 119–121
 Orient In Host Layers option, 113
 Orient To View option, 113, 713, 819–820
 orientation
 3D views, 819–820, 819–820
 building, 340
 fill patterns, 113
 filled regions, 713, 713
 tags, 789
 True North, 351
 Orientation In Host Layers option, 713, 713
 Origin To Origin option, 229, 233

- origins
 - project, 200, 203, 205
 - world coordinates, 229, 233
- orthographic views
 - vs. perspective, 470, 470
 - working in, 42–46, 44–46
- Output Settings screen, 468, 468
- Overhang parameter for roofs, 579, 579
- Overhanging option, 287–288, 288
- overlapping point elements, 330, 331
- overlapping sketches, 666
- overlapping solids on curves, 850
- overlapping walls, 22, 23
- Overlay option for linked models, 206
- overriding phase filters, 984, 985
- Overwrite The Existing Version option, 509
- ownership
 - floors, 566
 - local files, 174, 174
 - workset elements, 181–191, 181–191
- Ownership Status tab, 188, 189

P

- P2V (physical-to-virtual) technology, 922–923
- pads
 - building, 90–91, 91
 - floors, 569, 569
- Paint Bucket tool, 255
- paint for daylighting material, 370
- Paint tool, 80, 496, 496, 575
- Pan control, 57
- panels
 - balusters, 651, 651
 - curtain, 527, 527, 538
 - curtain walls, 530, 532
 - dimensions, 859, 859
 - pattern-based. *See* pattern-based panels
 - Ribbon, 59, 59
- parallel control of in-place solids, 297, 297
- Parallels products
 - Transporter, 922
 - updates, 926
 - virtualization, 916, 921–923, 921, 925–927
 - Workstation Extreme, 920–921

- parameterization
 - arrays, 634–636, 634–635
 - dimensions, 612, 678
 - forms, 272, 614
 - reference lines, 606–607, 606–607
 - reference planes, 623, 623, 629, 629, 631–632, 631, 633
- parameters and Parameter Properties dialog box
 - analytic visualization
 - project, 440–442, 440–443
 - user-defined, 443–445, 443–445
 - annotations
 - project, 797–800, 797–800
 - shared, 800–807, 801–807
 - Copy/Monitor tool, 214–215, 215
 - family categories, 601
 - family components, 613–614, 614
 - filters, 384–385, 384
 - mass dimensions, 312–316, 312–316, 320–322, 321–323
 - shelf brackets, 633–634, 633–634
 - type and instance, 30, 30–31
 - views, 120, 120
 - walls, 509
- parametric models and projects, 827–828, 827–828
 - area analysis, 848–849, 848–849
 - building footprint, 829–839, 829–835, 837–838
 - building massing, 839
 - calculations, 854–858, 855–857
 - conceptual massing, 839
 - curtain systems on mass faces, 849–853, 850–854
 - documentation, 858–860, 859–860
 - generic model outline families, 828–829
 - resources for, 860–861
 - sustainability analysis, 846–847, 847
 - terminology, 828, 828
- Partial option for pattern-based system, 287, 287
- Partial Explode option, 760

parts

- creating, **887–888**
- modifying, **888–890**, *888–890*
- scheduling, **890–891**, *891*

Paste Aligned control, **80–81**, *81*

pasting, **80–81**, *80–81*, *210*

PAT files, *114–115*

Path Type settings, **780–781**

paths

- animation, **473–480**, *473–479*
- keynotes, **780–781**
- railings, *688*, *688*
- solar, **357**, *357–358*, **446–449**, *447–449*
- sweeps, *626*

paths for linked models, *209*

pattern-based components, *326*, *328*

pattern-based panels

- building, **546–550**, *547–550*
- creating, **284–294**, *285–293*
- loading, **550–551**, *551*
- pyramid curtain wall, **551–555**, *551–555*
- scheduling, **560–561**, *561*
- size limiting, **556–558**, *557–558*

Pattern Type settings, *111*

patterns

- curtain walls
 - applying, **543–544**, *544*
 - custom, **555–556**, *555–556*
 - surface editing, **544**, *545*
- exporting, *250*, *251*
- faces of masses, *337*, *337*
- fill
 - creating, **113–114**, *113*
 - importing, **114–116**, *116*
 - overview, **111–113**, *112*
- filled regions, **712–713**, *712–713*
- line, **103–105**, *103–105*
- surface and cut, *109*

Patterns tab, *243*, *250*, *251*

PBPs (Project Base Points), **202–205**, *202–204*

Perez All Weather option, *376*, *376*

performance

- resolution settings, **469**, *470*
- virtualization, *928*, *928*, *937*, *937*

permissions

- central files, *173*, *173*
- granting, **184–185**, *184–185*
- notifications, **184**, *184*
- relinquishing, **185**, *185*
- requesting, **183–184**, *183–184*
- workarounds, **191**
- workset elements, *181*

perpendicular control for in-place solids, *297*, *297*

Perspective View Control bar, *450*

perspective views

- generic model mass families, *328*, *328*
- in-place solids, *306*, *307*
- vs. orthographic, *470*, *470*
- overview, *43*, *44–47*
- walls, *26*, *26*

Phase-Exist material, *392*, *392*

Phase Filters tab, *389*, *389*, *398*, *398*, *439*, *439*

phasing and Phasing dialog box

- associating, **381–383**
- elements associated with, **386**, *386–387*
- filters, *354*, *354*, **387–390**, *389*, *882*, *984–985*, *985*
- geometry, **390–393**, *391–393*
- materials, *985*, *986*
- settings, **387–390**, *387–390*
- time elements, **383–385**, *383–385*
- views, **381–383**, *386*, *387*, **394–400**, *394–399*

photorealistic visualization, **450**

- ambient lighting, **462–464**, *462–464*
- animation paths, **473–480**, *473–479*
- film rendering, **989**
- rendering settings, **467–470**, *467–470*
- section boxes, **464–466**, *464–466*
- still image cameras, **471–473**, *471–473*
- views, **470–471**, *470*
- visual styles, **450**
 - level of detail, **451–453**, *451–452*
 - shadows, **457–462**, *457–462*
 - types, **453–457**, *453–457*

physical location setting, **363**

physical-to-virtual (P2V) technology, **922–923**

- Pick Path tool
 - floor edges, 571
 - generic model mass families, 324, 324
- Pick Primary Host tool, 525–526, 526
- Pick Supports tool, 590
- Pick Walls tool
 - ceilings, 577
 - roofs, 579
 - sketch-based objects, 506, 506, 573, 573
 - structural floors, 567, 567
- Pin tool, 77
- pinned panels, 538
- pinning elements, 77–78, 78
- pins as balusters, 696, 696
- Place At import option, 229
- Place Detail Component tab, 714
- Place Detail Group button, 724, 724
- Place Point tool, 84
- Place Request option, 183
- placeholders for sheets, 756
- Plan/RCP option, 608
- plan views, 32–34, 32–34, 48
- planes, reference
 - family components, 605, 605
 - handrails, 651, 651
 - parameterized, 623, 623, 629, 629, 631–632, 631, 633
 - relationships, 24–27, 25–28
- planning
 - for BIM, 4–5, 4
 - J. H. Findorff & Son case study, 874–877, 875–877
- plans
 - documenting, 739–747, 740–747
 - execution, 194–195
- plumb cuts for roofs, 582
- plumbing
 - parametric model requirements, 854, 855, 857, 857
 - wall-hosted fixtures, 602, 602
- poches
 - settings, 464–466, 464–466
 - for toposurfaces, 91, 91
- Point Element tool, 548
- point elements
 - complex mass families, 331–334, 331–333
 - pattern-based panel families, 548
- points
 - adaptive, 546–548
 - insertion
 - family components, 603–604, 604
 - groups, 404, 404
 - stairs, 672
 - PBPs and survey, 202–205, 202–204
 - reference, 605, 605
 - toposurfaces, 84–87, 85
- portability setting, 205
- ports for virtualization, 938, 938
- positioning with importing, 229
- Postpone option for Coordination Review, 218
- posts
 - balusters, 651, 651, 654
 - glass stairs, 696–697
 - start and end, 665, 669, 680–683, 682–683, 696–697
- Posts section for balusters, 654
- preconstruction planning, 874–877, 875–877
- predefined material keynotes, 783, 783
- predictability
 - vs. innovation, 11–12, 12
 - stairs and railings, 700
- presentation, 809
 - 3D views, 31, 819
 - annotating, 821, 821
 - orienting, 819–820, 819–820
 - color fill legends
 - overview, 809–810, 809–810
 - program verification with, 818, 818
 - rooms, 810–817, 811–812, 814–818
 - viewport types, 822–823, 822–823
- Preview Solar Study option, 355, 355
- Preview window, 503
- previewing
 - fill patterns, 116
 - roofs, 592
 - solar studies, 355, 355
 - walls, 503

- previous selection, 62
- Print Setup button, 869
- Print Setup dialog box, 34, 34
- printers and printing
 - cropping visibility, 34, 34
 - ports for virtualization, 938, 938
 - resolutions, 469, 469
- priorities for wall joins, 504, 504–505
- private variables, 956, 959–960
- production for film and stage, 976–977, 976–977
- profiles
 - balusters, 653, 653
 - edges, 325, 325
 - generic model mass families, 325, 325
 - in-place solids, 302, 302–303, 305, 306
 - massing surfaces, 275, 275
 - mullion, 851
 - railings, 650, 650, 660, 674–675, 674–675
 - stringers, 674–676, 674–676
 - sweep, 571–572, 571–572
 - virtualization, 930, 930
 - walls, 22–23, 22, 521–522, 521–522
- program verification with color fills, 818, 818
- Progressbar controls, 955
- Project Base Points (PBPs), 202–205, 202–204
- Project Browser, 33, 51, 51, 118–119
- project environment for curtain walls, 539
- Project Parameters dialog box
 - labels, 797, 797
 - shared parameters, 802–803, 802–803, 805, 806
 - views, 120
- Project Phase tab, 387–388, 387–388
- Project Properties dialog box, 951, 951
- project settings
 - color schemes, 116–118, 117–118
 - fill patterns
 - creating, 113–114, 113
 - importing, 114–116, 116
 - overview, 111–113, 112
 - lines, 102–106, 103–105
 - materials, 107–111, 107–110
 - object styles, 100–102, 101
 - phasing to, 381–383
- Project Standards worksets, 169
- Project Template option, 100
- projection modes, 101
- projection values for family categories, 599–600, 600
- projects
 - internal coordinate system, 199–200
 - organization, 17–18, 18
 - content, 29, 29
 - datum, 19–29, 19–28
 - management, 47–48, 47
 - type and instance parameters, 30, 30–31
 - views. *See* views and View tab
 - parameters
 - analytic visualization, 440–442, 440–443
 - annotations, 797–800, 797–800
 - parametric. *See* parametric models and projects
 - roles, 147–150, 149
 - settings. *See* project settings
 - templates. *See* templates
- properties and Properties Palette, 50, 50
 - class, 960–962
 - complex mass families, 332, 333, 336
 - matching, 65
 - materials, 108–110, 109–110
 - overview, 64, 64–65
 - panels, 288–289, 289
 - revision clouds, 867, 867
 - room height, 364–365, 365
 - toposurfaces, 88
 - view phase, 395–396, 395–396
- Properties tab, 50, 50, 289, 289
- Property Line tab, 92
- property lines, 92–94, 92–94
- Property Lines dialog box, 92, 92
- proportional control of mass families, 314, 314, 316, 317
- proposal phase in design exercise, 420–421, 420–422, 424–426, 424–426
- Proposed element, 397, 397
- Proposed Temporary element, 397, 397

public class properties, **960–962**
 Publish Coordinates command, 201–202
 Publish option, 48
 publishing
 coordinates, **201–202**, 202
 to Design Review, **869–871**, 870–871
 RFA files, 48
 pulling
 coordinates, 201
 edges, 300, 300
 Purge Unused command, 154
 Purge Unused dialog box, 154–155, 155
 purging unused families and groups,
 154–155, 155
 Push/Pull tool, 255
 pushing
 coordinates, 201
 faces and edges, 298, 299–300
 pyramid curtain wall pattern-based families,
 551–555, 551–555
 pyramids, 266–267, 267

Q

Qi, Lim Wei, student project by, **905**, 905
 QI, Tay QI, student project by, **909–910**, 910
 Quad Corner Mullion type, 534
 quality control, **154**
 file size, **154–157**, 155–157
 schedules, **158–161**, 158–161
 warnings, **161–162**, 161–162
 quality settings, **467–470**, 467–470
 Quick Access toolbar (QAT), **49**, 49–50
 Quick Energy Simulation Tool, 363

R

radial arrays, **73**, 73
 Radiance engine, 369
 radii of arcs, 831–833
 Rafter Cut option for roofs, 582
 Rafter option for roofs, 582, 582
 Rail Structure dialog box, 656
 Rail Structure option, 653
 railing tool, 674, 674

railings and handrails
 best practices, **699–700**
 components, **650–654**, 650–653
 curtain walls, **670–672**, 670–671
 curved, 684, 685
 glass stairs, 696, 697, 698
 inside the box, 655–658
 joins, **662–666**, 663–666
 outside the box, **661–672**, 662–671
 paths, 688, 688
 profiles, **650**, 650, 660, 674–675, 674–675
 reference planes, 651, 651, 664, 664
 repetitive systems, **659–661**, 659–661
 split run stairs, 693–694, 693–694
 wire meshes, **654–658**
 RAM for virtualization, 917, 920, 927, 927
 Ramp tool, 672
 Read, Phil, 923
 Realistic option, 53, 53
 Realistic view, 456, 456
 recent commands, 65, 65
 Recent Files page, 100
 Rectangle Checkerboard Pattern type,
 543, 544
 Rectangle tool, 92
 rectilinear form
 generic model mass families, 320
 in-place solids, 294, 294
 recycled content, **341–343**, 341–343
 redundancy, templates for, **135–136**
 Reference Line tool, 553
 reference lines
 arcs, 833–834, 836
 complex mass families, 329–330, 330–331,
 334, 334
 family components, **605–607**
 generic model mass families, 319–320, 319,
 322, 323
 masses, **271–272**, 271–272
 massing surfaces, **273–277**, 273–277
 pattern-based panels, 290–292, 291–292,
 546–550, 550
 pyramid curtain wall pattern-based
 families, 550–551, 551–555

Reference Other View option, 40, 235–236

reference planes

arcs, 831, 831, 833–834

complex mass families, 333, 333

family components, 605, 605

parameterized, 623, 623, 629, 629, 631–632, 631, 633

railings, 664, 664

wall relationship, 24–27, 25–28

reference points for family components, 605, 605

reference shapes for massing forms, 278, 278

Reference tool, 552

references, datum, 19

Reflectance setting, 371

Region tool, 708–713, 708–713

regions

cropping, 34, 34

drafting, 710–711, 711

filled, 708–710, 708–710

boundaries, 715, 715–716

creating, 711–713, 712–713

types, 710–711, 711

masking

details, 708–709, 715–717, 716, 729–731, 729–731

labels, 128

model, 711, 711

names, 709

toposurfaces, 87–89, 88

Reject option for Coordination Review, 218

Related to Mass option, 581

relationships

in coordination, 195–198, 195, 197

in groups, 410, 410

reference planes and walls, 24–27, 25–28

solid and void, 616–618, 616–618

Relative option for keynotes, 780

relative paths for linked models, 209

release dates of films, 975

Relinquish All Mine button, 185, 185

relinquishing permissions, 185, 185

Reload Latest process, 179, 179

Remove Paint tool, 496

removing

design options, 415–416

Design Review markups, 872

lines, 725

Rename option, 219

renaming

in Coordination Review, 219

schedules, 341

schemes, 812

Render Appearance tab, 371, 371

Render Setup dialog box, 376, 378

rendering

daylighting, 376, 378

film and stage, 984–988, 984–989

generic model mass families, 329, 329

light groups, 486–490, 486–489

photorealistic

film and stage, 989

settings, 467–470, 467–470

solar studies, 449

visualization, 482–485, 483–485

Rendering dialog box

settings, 467, 467

solar studies, 449

Rendering Settings dialog box, 482–483, 483, 485

rentable area, 741–742

Repeating Detail Component tool, 719–723, 720–722

repetitive systems for railings,

659–661, 659–661

Request Granted dialog box, 184, 184

requesting permissions, 183–184, 183–184

Reset Points To Grid button, 547

resolution settings, 467–470, 467–470

Restore Orientation And Lock View option, 821

Results and Compare dialog box, 361–362, 361

Retaining behavior for walls, 507

reuse details, 761–764, 761–764

Reuse parameter, 799, 799

Reveal Hidden Elements tool, 85

Reveals dialog box, 514, 514

reveals for walls, 514, 514–515

- Review Warnings tool, 161
- Revision Cloud option, 863
- Revision Cloud tool, 866
- revision clouds, **863**, 864
 - leaders, **868**
 - placing, **866–867**, 866–867
 - tags, **867–868**, 868
- Revision tool, 863
- revisions
 - in live models, 866
 - overview, **863–866**, 864–865
 - revision clouds, **866–868**, 866–867
 - supplemental drawings, **868**
- Revit.ini file, 227, 948
- Revit Links tab, 212
- Revit Lookup utility, **943**, 943
- revolution vs. evolution, **12–13**, 13
- revolves, 615
- revolving sketches, 28, 28
- Rhino program, 238–240, 238–240, 974
- Ribbon, 57, 57
 - Options Bar, **59**, 59
 - panels, **59**, 59
 - tabs, **57–59**, 57–59
- ridges for roofs, 591, 591
- rigs for pattern-based panel families, 546, 547
- Rise of the Apes*, 1015
- Riser Type setting, 673
- risers
 - circular runs, 690, 690
 - creating, 666–668, 666
 - stairs, 673
 - warnings, 669
- roles, **147–150**, 149
- Roof By Face tool, **585**
- Roof By Footprint tool, 586
- roofs, **578**
 - curved surfaces, **238–240**, 238–240
 - dormers, **586–589**, 586–589
 - by extrusion, **582–583**, 582–583
 - footprint, **578–582**, 578–582
 - in-place, **584**, 584
 - joining walls to, **79**, 79
 - keynotes, 782, 782
 - Roof By Face tool, **585**
 - shapes, **589–590**, 589–590
 - sketching, **573–574**, 573
 - slope arrow, **585**, 586
 - sloped drainage layers, 589, 589
 - sloped glazing, **585**, 585
 - sloped topping, **590–591**, 590–591
 - thickness, **592**, 592
- Roofs tab, 580
- Room & Area panel, 740–741
- Room Area Computation option, 527
- Room Bounding option
 - ceilings, 577
 - roofs, 581
- Room Separation Lines option, 741
- Room tool, 364
- rooms
 - area, **740–741**, 740–741
 - color fill legends, **810–817**, 811–812, 814–818
 - heights, **364–365**, 365
 - phasing, 386, 386
 - scheduled, 42
 - tags, 740–741, 740, 791, 791
 - volumes, **364–366**, 364–366
- Rotate tool, **71**, 773
- Rotate True North command, 351
- rotating
 - buildings, 340
 - detail, 721, 721
 - elements, **70–71**, 70–71
 - text, 773
- rotation angles for complex mass families, 333, 333
- Rudder, Don, 941
- rules, filter, 440, 441
- Run Interference Check option, 223
- “Running Revit in Virtualization”, 923
- RVT files, saving groups as, 406
- RVT Link Display Settings dialog box, 211–212, 211–212
- RvtMdgDbg utility, 943

S

- sample project, **952–954**, 952–953
 - .addin manifest installation, **967–968**, 967, 969
 - Application class, **964–966**
 - clsSettings class, **959–962**
 - Command class, **962–964**, 962
 - debugging, **969–970**
 - helper subroutines, **966–967**
 - user forms, **954–959**, 955
- sandwich model, 563–564, 564
- SAT files, 238–241, 240
- Save As dialog box
 - central files, 172–173, 172
 - energy models, 368
 - shared parameters, 801
- Save As View Template option, 464, 769
- Save button, 176–177
- Save Group dialog box, 761, 761
- Save Group option, 406, 406
- Save Local File Before And After Synchronizing With Central option, 177
- Save Orientation And Lock View option, 821
- Save To Central dialog box, 179
- Save To New File option, 763
- Save To Target dialog box, 246
- Save Views dialog box, 764, 764
- saving
 - central files, 172–173, 172
 - groups, **406–407**, 406, 761, 761
 - at intervals, **178–179**, 178
 - multiple details, **762–764**, 763–764
 - views, 764, 764
 - work, **176–178**, 177–178
- scale
 - animated solar studies, 356, 357
 - dimensions, 794
 - elements, **74**
- Scale tool, 74
- Schedule Properties dialog box
 - Appearance tab, 752, 753
 - Fields tab, 750, 750, 753–754, 891, 891
 - Filters tab, 159, 159, 751, 751
 - Formatting tab, 159, 752, 752
 - linked models, 210
 - parameters, 800, 800
 - Sorting/Grouping tab, 159, 159, 751, 751, 754–756
- Schedule/Quantities schedules, 42, 42, 748, 754
- Schedule tab, 752, 753
- schedules, **41–42**, 41–42, **158**, **340–341**
 - area, 42, **754–755**, 755
 - creating, **749–753**, 749–753
 - cut and fill, **94–95**
 - design exercise, **427–430**, 427–430
 - design options, **414–415**, 414
 - family categories, **599**, 599
 - film and stage, **977**
 - hidden, 159
 - key, **750**, 854, 855
 - keynotes, **160–161**, 160–161, **787**
 - linked file elements, 210
 - mass floors, **849**, 849
 - masses, **264–266**, 265–266, **269–270**, 269–270, **848–849**, 848–849
 - multicategory, **158–159**, 158–159
 - occupancy, **856**, 856
 - parameters, 800, 800
 - parts, **890–891**, 891
 - pattern-based panels, **560–561**, 561
 - recycled content, **341–343**, 341–343
 - Sheet List, **756–757**, 756
 - sheets, **767–768**, 768
 - sorting
 - Area, 755
 - floors, 346
 - keynotes, 160
 - materials, 342
 - Note Block, 160
 - order, 751, 751
 - pattern-based panels, 561
 - sheet lists, 756
 - Sheet Number, 157, 157
 - Walls, 754
 - templates, **755**
 - types, **748–749**
 - walls, **753–754**
 - window-to-wall ratio, **343–346**, 344–346

- schematic design in Singapore Polytechnic project, **901**, 901
- Scheme Definition dialog box, 812
- schemes
 - color, **116–118**, 117–118
 - definitions, 812, 812
 - names, 812
 - numerical ranges, **816–817**, 817–818
- sculptural process, **618–623**, 619–622
- SD Sandwich Edge profile, 571–572
- SDK (Software Development Kit), **942–943**, 942–943
- SDs (supplemental drawings), **868**
- Section Box option, 46, 46, 89, 464, 464
- section boxes
 - activating, 46, 46
 - creating, **464–466**, 464–466
 - Google SketchUp, 253–254, 254
 - toposurfaces, 89
- Section Cut Material setting, 91
- section pouches, **91**, 91
- section tags, **129–132**, 129–132
- Section Tags option, 129
- sections, types, **36–38**, 36–38, **131–132**, 132
- security in virtualization, 929, 929
- Segment Dimension Leader Visibility setting, 796, 796
- Select & Edit button, 375–376
- Select All Instances option, 63, 139, 181
- Select Items To Copy dialog box, 136, 137
- Select Layers/Levels To Import/Link dialog box, 727, 728
- Select Previous option, 62
- Select Profile option, 325
- Select Template File dialog box, 126–127
- Selection Count, 62
- selections
 - all instances, **63**
 - colors, 61
 - elements, **61–62**, 62
 - filters, **62–63**, 63, 65
 - templates, **598–601**, 598–600
- Send Backwards option, **719**, 719
- Send To Back option, **719**, 719
- sequences, visualization. *See* visualization
- set-out drawings, **878–880**, 878–880
- Set Work Plane tool, 553
- SetViewWorksets subroutine, **958–959**
- Shaded view, 454, 454
- Shaded With Edges view, 455, 455
- shading and Shading setting
 - geometry phase, 393, 393
 - materials, 108, 610, 610
 - railings, 658, 658
- shadowboxes, 538, 538
- shadows
 - film and stage, **983**, 983
 - sun studies, 351–352, 352
 - working with, **457–462**, 457–462
- Shadows settings, 352, 457, 457
- shape-based fonts, **227–228**
- shape handles for in-place solids, 306, 306
- shapes
 - floors and roofs, **589–590**, 589–590
 - reference, 278, 278
 - stairs, **677–683**, 677–683
- shared coordinate system, **199–200**, 201
- shared folders in virtualization, **930–931**, 930–931
- Shared Levels And Grids workset, 47, 168
- Shared Parameter button, 800
- shared parameters
 - annotations, 796–797, **800–807**, 801–807
 - categories, **802–803**, 802–803
 - cautions, 995
 - tags, **803–807**, 804–807
- shared positioning of linked models, **199–200**, 201
- Sheet Issues/Revisions dialog box, 864–867, 864, 867
- Sheet Issues/Revisions tool, 863
- Sheet List Properties dialog box, 756
- Sheet List schedules, 41, 749, **756–757**, 756
- Sheet Name category, 756
- Sheet Number category, 756
- Sheet view window, 48

sheets

- area plans, **764–766**, 766
- in export sets, 244–245, 245
- laying out, **764–769**, 766–769
- schedules, **767–768**, 768
- wall legends, 769, 769

Sheets Of Glass setting, 371

shelf, **628**, 628

brackets

- formulas, **636–638**, 636–638
- modeling, **629–630**, 629–630
- nesting, **631–633**, 631–632
- parameters, **633–634**, 633–634
- parametric arrays, **634–636**, 634–635

materials, **640–641**, 640–641

type catalogs, **640–644**, 641–644

Shelf Width parameter, 636

Shift key for selections, 62

shortcuts, keyboard, **82**, 82

Shoulder Length setting, 796

Show All phase filter, 394–395, 394

Show Area option, 740

Show Camera option, 45, 45, 471, 472

Show Categories From All Disciplines
option, 749

Show Center option, 831

Show Center Point option, 833

Show Complete phase filter, 354, 354, 370, 389,
398, 399, 496, 496

Show Demo + New phase filter, 398, 398

Show In list, 245

Show Leader When Text Is Moved
setting, 796

Show Mass button, 344

Show New option, 398, 399

Show option for permissions, 185

Show Original option, 888

Show Parts option, 888

Show Placement Number parameter, 559

Show Previous + Demo option, 396, 396

Show Previous + New Graphic phase
filter, 397

Show Previous + New phase filter, 396, 397

Show Previous Phase option, 396, 396

Show Reference option, 332, 333

Show Reference Planes option, 552

Show Related Warnings option, 163

Show setting for revisions, **865**

Show Shape Handles parameter, 889

Show Title setting, 823

Show Workplane tool, 549

shutdown of virtual machines, 928, 928

shxfontmap.txt file, 227–228

Silhouette Style option, 461, 461

silhouettes for edges, 461–463, 461

sills

detail, 717–718, 717, 722, 722

window, **726–733**, 726–732

simple mass families, **311–318**, 311–317

Simple option for fill patterns, 114

sine function, 832

Singapore Polytechnic, **895**, 896

design project, **897**

design development, **901–902**, 902

details and documentation, **902**, 903

massing studies, **900–901**, 900

schematic design, **901**, 901

site analysis and hand sketching,
898–899, 899–900

submission drawings, **903**

textile design and fashion show,
898, 898–899

overview, **896–897**

student project examples,
903–913, 904–913

Single-Day option, 349, 354, 448

Single Element tool, 75

site analysis in Singapore Polytechnic project,
898–899, 899–900

site context modeling, **83**, 83

building pads, **90–91**, 91

cut and fill schedules, **94–95**

property lines, **92–94**, 92–94

toposurfaces, **83–90**, 85–86, 88–90

Site Settings dialog box, 91, 91

size

crop region, 472, 472, 475

files, **154–157**, 155, 157–158, 920

- limiting for pattern-based panels, **556–558**, 557–558
- Size Crop button, 356, 472, 475
- Sketch mode in work plane viewer, 55, 55
- Sketch Ceiling mode, 577
- sketches
 - extrusions, 490–491, 490
 - floors, ceilings, and roofs, **573–574**, 573
 - revolving, 28, 28
 - Singapore Polytechnic project, **898–899**, 899–900
- Sky Model menu, 376, 376
- Slab Edge tool, **569**, 570
- slab edges for floors, **569**, 570
- slanted walls, 1009, 1009
- Sliver Space Tolerance setting, 367
- Slope Arrow tool, **585**, 586
- slope of roofs, 580, 580, 585
 - drainage layers, 589, 589
 - topping, **590–591**, 590–591
- Slope setting, 585
- Sloped Glazing roofs, **585**, 585
- SmartGuard, 932, 932
- SmartMount, 932, 932
- Smith, Gavin, 12
- Snakes on a Plane*
 - cockpit, 981, 981, 1001, 1002
 - production, **1001**, 1001–1002
- Snyder, Zack, 1004, 1011, 1015
- social BIM, 193–194, 880
- Soffit behavior for walls, 507
- softened lighting effects
 - film and stage, 975, 976
 - shadows, 459–460, 460–461
- Software Development Kit (SDK), **942–943**, 942–943
- solar shading in curtain systems, **852**, 852
- solar studies. *See* sun and solar studies
- Solid Form button, 547, 550
- solid panels, 528
- Solid Sweep tool, 625
- Solid tab, 252, 252
- solids
 - converting to voids, 308–309, 308, 323–324, 323–324, 618, 618
 - exporting, 252, 252
 - in-place, **294–309**, 294–309
 - overlapping on curves, **850**
 - void relationships, **616–618**, 616–618
- solstices in sun studies, 347–348, 348–349, 350
- sorting schedules and Sorting/Grouping tab
 - Area, 755
 - floors, 346
 - keynotes, 160, 160
 - materials, 342
 - Note Block, 158, 158
 - order, 751, 751
 - pattern-based panels, 561
 - sheet lists, 756
 - Sheet Number, 157, 157
 - Walls, 754
- Sound Transmission Class (STC), 757
- south exposures, 343–344
- spacebar for rotating elements, **70**, 70
- spaces, 29
 - content category, 29
 - scheduled, 42
- Spacing option for repeating detail, 721
- Span Direction tool, 567
- spandrels, 538, 538
- Special Equipment category, 662
- speed of animation, 479–480
- spheres, 266–267, 267
- spider fittings, 538
- Spline Through Points option
 - intuitive massing, 280, 280
 - massing surfaces, 274, 274, 276, 276
 - wall by face mass, 282, 283
- splines
 - massing surfaces, 274–276, 274, 276–277
 - wall by face mass, 282, 283
- Split Face tool, **80**, **574–575**, 574–575
- Split Region button, 511
- split runs for stairs, **692–694**, 692–694
- Split Surface tool, **89–90**, 89–90

Split tool, 76, 76

Split With Gap tool, 76–77

splitting

curtain systems, 850, 850

lines and walls, 76–77, 76

wall finish materials, 511–512, 512

stacked walls, 523–526, 524–526

stacking views, 991, 991

staffing in BIM, 146–151, 146–147, 149

stage. *See* film and stage

stairs, 647

approaches, 647–650, 648–649

balusters. *See* balusters

best practices, 699–700

circular, 688–690, 688–691

components, 654

conditions and shapes, 677–683, 677–683

exiting width requirements, 856

glass, 694–699, 695–699

outside the box, 684–699, 684–699

railings. *See* railings and handrails

split runs, 692–694, 692–694

tools, 672–673, 672–674

Start Post setting, 669

start posts, 669, 680, 696–697

starting views, 187, 187

startup of virtual machines, 928, 928

status bar, 52, 52

statutory submissions in Singapore

Polytechnic, 903

STC (Sound Transmission Class), 757

still image cameras, 471–473, 471–473

Still option for sun, 349–350, 448

Storefront curtain wall, 535–536, 535

strategy in BIM, 9–10

Streibig, Peter, 916, 923, 926

stringers, 654

custom profiles, 674–676, 674–676

split run stairs, 693

structural floors, 566–568, 566–568

structural - MEP engineer relationship, 198

Structural parameter, 566, 566

Structure tab

materials, 110, 110

tools, 58, 58

structures, wall, 503–506, 503–505

student activities

overview, 895

Singapore Polytechnic. *See* Singapore Polytechnic

styles

lines

changing, 729, 729

selecting, 706–707, 706–707, 725

setting, 105–106, 105

object. *See* object styles and Object Styles dialog box

visual, 450

level of detail, 451–453, 451–452

shadows, 457–462, 457–462

types, 453–457, 453–457

subcategories

creating, 493, 493

family components, 612–613, 612–613

submission drawings in Singapore

Polytechnic, 903

Subregion tool, 87–89

subregions of toposurfaces, 87–89, 88

Subscription Advantage Pack, 359

Subscription Center, 50

subtractive approach

selection, 62

templates, 135, 135

wall storage, 502

Sucker Punch, 1011–1015, 1011–1016

suffixes for keynotes, 775

summer solstice in sun studies, 347–348, 348–349, 350

sun and solar studies, 347, 348

analytic visualization, 446–450, 447–449

animated, 354–356, 355–357, 449, 449

creating, 348–354, 349–354

solar paths, 357, 357–358,

446–449, 447–449

sustainability analysis, 846, 847

Sun Intensity setting, 459, 459

- Sun Path tool, 357
- Sun Settings dialog box
 - multi-day studies, 355
 - settings, 349–351, 350
 - shadows, 459, 459
 - sun path, 448, 448
- Sunlight From Top Left option, 459, 459
- Sunlight From Top Right option, 459
- sunlight in visualization, **482–485**, 483–485
- sunshades, 538
- Superman*, 1015
- supplemental drawings (SDs), **868**
- supplemental templates, 135
- Support Depth setting, 632–633, 632
- Support Inset setting, 636
- support pins for treads, 696, 696
- Surface Pattern setting, 109
- Surface Representation dialog box, 545–546, 545
- Surface Representation panel, 544–545
- Surface tab, 545, 545
- surface-to-floor ratio, 270, 270
- surfaces
 - curtain walls
 - dividing, **540–543**, 540–543, **550–551**, 551
 - pattern editing, **544**, 545
 - representation, **545–546**, 545–546
 - in-place, **280**, 280–281
 - pattern-based system, **284–294**, 285–293
 - wall by face, **281–284**, 281–284
 - massing, **273–277**, 273–277
 - patterns, 109
 - roof, **238–240**, 238–240
 - toposurfaces. *See* toposurfaces
- survey points, **202–205**, 202–204
- sustainability analysis, **846–847**, 847
- sustainable design
 - concepts, **339–340**
 - daylighting. *See* daylighting
 - energy modeling, **358–368**, 358–361, 364–368
 - schedules, **340–346**, 341–346
 - sun shading and solar paths. *See* sun and solar studies
- Sutton, Bryan, 623, **973–974**
 - carving geometry, 996
 - Fantastic Four*, **999**, 999–1000
 - Fantastic Four: Rise of the Silver Surfer*, **1002**, 1002–1003
 - I, Robot*, **997–998**, 998
 - on Maya use, 990
 - Night at the Museum: Battle of the Smithsonian*, **1003**, 1003–1004
 - Snakes on a Plane*, **1001**, 1001–1002
 - Sucker Punch*, **1011–1015**, 1011–1016
 - template use, 982
 - Tron Legacy*, **1008–1010**, 1008–1010
 - Watchmen*, **1004–1007**, 1005–1007
 - X-Men: The Last Stand*, **1000**, 1000–1001
- SWC (Synchronize With Central), 151
 - with closing Revit, 186
 - permissions, 166
 - working with, **177–178**, 177–178
- Sweep tab for floor edges, 571–572
- sweeps, 615, 615
 - edge-based, 626, 626
 - floor edges, 571–572, 571–572
 - generic model mass families, 324, 324
 - paths, 626
 - returns, **515–516**, 516
 - walls, **512–514**, 513, 515
- swept blends, 615, 615
 - glass stairs, 697
 - in-place solids, 302, 302–303
 - railing paths, 688–689, 688
- Syafiquh, Diyannah, student project by, **912–913**, 912
- symbolic lines, 732, 732
- Synchronize And Modify Settings button, 207
- Synchronize Now option, 178, 178
- Synchronize With Central (SWC), 151
 - with closing Revit, 186
 - permissions, 166
 - working with, **177–178**, 177–178
- Synchronize With Central option, 178
- Synchronize With Central And Set Reminder Intervals option, 178

Synchronize With Central dialog box,
177–178, 178, 207, 208

system families

components, **601–603**, 602–603

in design process, 29, **596**

walls, 502

system glazing panel, 533, 533

system lines, 106

system managed worksets, 47

T

tabs on Ribbon, **57–59**, 57–59

Tachyon corridor, 1005, 1006

Tachyon panel, 1006, 1007

Tag All command, 790–791, 790

Tag All Not Tagged dialog box, 791, 791

Tag All Not Tagged tool, 128

Tag By Category tool, 93, 128, 790, 790,
806, 867

Tag On Placement option, 128, 789

Tag panel, 789, 789

tags

doors, **127–128**, 127–128

elevation, 35, **132–134**, 133–134

inserting, **789–790**, 789

in linked files, 210

overview, **788–789**, 788

property lines, **93–94**, 93–94

revision clouds, **867–868**, 868

room, 740–741, 740, 791, 791

section, **129–132**, 129–132

shared parameters, **803–807**, 804–807

text vs. labels, **126–127**, 126

tools, **790–794**, 790–794

views, **129–134**, 129–134

Tags dialog box, 128, 789

Tammik, Jeremy, 970

tangent function, 832

targets for cameras, 44, 44

teams

adding members, **150–151**

coordinating, **234**, 234

loading work from members, **179**, 179

worksharing, **151–153**, 152–153

templates

balusters, 651, 651

conceptual massing, 329, 329

custom, **134**, 135

data aggregation, **136–139**, 137–139

details, 725

film and stage, **982**

generic model, 318, 318

managing, **135–139**, 137–139

mass, 310, 310

overview, **99–100**

parametric projects, 829, 829

pattern-based panels, 288, 289

saving, 464, 464

schedules, **755**

selection, **598–601**, 598–600

views, **123–124**, 124

visibility, 187, 187

Temporary Dimension Properties dialog box,
67, 67

temporary dimensions, **66–67**, 66–67

text

annotations, **772–775**, 772–775

dimension, 795, 795

documents, 641, 641

exporting, 243, 250–252, 251

vs. labels, **126–127**, 126

Text & Fonts tab, 243, 250–252, 251

Text Document option, 641, 641

Text Location setting, 796

Text tag, 950

Text tool, 772, 772

textile design in Singapore Polytechnic
project, **898**, 898–899

textnotes, **775–776**, 776

thick floor finishes, **575–576**, 576

thickness

roof layers, **592**, 592

walls, 505, 512

Thickness setting, 505

thin floor finishes, **574–575**, 574–575

- Thin Lines option, 608
- third-act sets, 977
- 3D axonometric views, 486
- 3D data
 - exporting, **253–257**, 254–257
 - importing, **236–242**, 238–240, 242
- 3D Snapping option, 552–553
- 3D view window, 48
- 3D views, 31, **819**
 - annotating, **821**, 821
 - orienting, **819–820**, 819–820
 - types, **42–46**, 43–46
- 3ds Max Design application, 369, **372–379**, 372–379
- time
 - in phasing, **383–385**, 383–385
 - virtualization settings, 929, 929
- Ting, Ong Wan, student project by, **907–908**, 908
- Tocci, John, 193, 881
- Tocci Building Corporation case study, **881**
 - construction visualization, **881–882**, 881–882
 - design to fabrication, **885–886**, 885–886
 - integrated project delivery planning, **882–884**
- Toggle Slope Defining option, 580
- TooltipImage tag, 950
- Top/Base Attach tool, 588
- Top Extension Distance parameter, 517–519
- Top Is Attached parameter, 522
- Top Offset setting
 - balusters, 660
 - walls, 519
- Topography tab, 89
- toposurfaces, **83–84**, 84
 - creating, **84–87**, 85–86
 - dividing, **89–90**, 89–90
 - section poches for, **91**, 91
 - subregions, **87–89**, 88
- Total Frames setting, 479, 479
- Transfer Project Standards tool, 111, 124, 136, 515
- Transfer View Scale option, 139
- transparency and Transparency setting
 - film and stage, **982**, 982
 - materials, 610, 610
 - railings, 657
 - temporary dimensions, 67
- transportation components as railings, 660–661, 661
- Trapezoid Corner Mullion type, 534
- treads
 - adding, 669, 669
 - depth and thickness, 654
 - glass stairs, 695–698, 695–697
 - nosing profiles, 672–673, 672–673
 - supports, 677–678, 677–678, 680–683, 680, 686, 687
- Trelligence Affinity application, 818
- Triangle (Flat) pattern, 286, 286, 289, 289
- triangles, formulas for, 832
- trigonometry, 832
- trim details, 716
- Trim/Extend Multiple Elements tool, 75, 520
- Trim/Extend Single Element tool, 75, 520
- Trim/Extend To Corner tool, 75, 534
- trimming lines and walls, **75–76**, 75
- Tron Legacy*, **1008–1010**, 1008–1010
- true north, 200–201, **351**
- TrueType fonts, **227–228**
- Truss option, 582, 582
- tubular structure, chair with, **623–628**, 623–628
- twists, 319–320
- 2D and orthographic View Control bar, 450, 450
- 2D data
 - exporting, **247–253**, 247–253
 - importing, **232–236**, 234–236
- 2D views, 31
- TXT files, **777–778**, 777–778
- type catalogs, **640–644**, 641–644
- Type Of Parameter setting, 120, 798, 801
- Type Or Instance Parameter setting, 799
- type parameters
 - family components, **613–614**, 614
 - vs. instance, **30**, 31
 - purpose, 799

Type Properties and Type Properties dialog box

- color fill legends, 815, 816
- dimensions, 795–796, 795–796
- filled regions, 710–711, 710
- lights, 490, 490
- poches, 465, 465
- Project Browser, 51, 51
- pyramid curtain walls, 554
- railings, 652, 652, 656
- regions, 715
- repeating detail, 720–721, 720, 722
- room area, 740
- section types, 132
- shelf, 632, 632
- stairs, 669, 669
- text, 773–774, 773
- view tags, 129, 129
- viewport types, 822–823, 822
- walls, 30, 31, 502, 502, 505, 508–511, 508

Type Selector

- accessing, 50, 64, 64
- ceilings, 577
- curtain walls, 527–529, 537
- pattern-based panels
 - changing patterns, 547
 - loading, 550
 - nesting, 557
 - predefined panels, 543
 - pyramid curtain walls, 554
 - scheduling, 560
- text, 773, 773

U

- U grid for curtain walls, 541–542, 545, 546
- U Grid Rotation setting, 542
- U Grid tool, 541–542
- Unattached End option, 790
- undo disks for virtualization, 933, 933
- Uniform Speed option, 479
- United States, energy use in, 358, 358
- units
 - daylighting, 372, 373
 - importing, 229

- Units & Coordinates tab, 252, 252
- Units Setup dialog box, 372, 373
- Unlock View option, 821
- unlocked references, 305, 305
- Unresolved References dialog box, 759, 759
- unused items, deleting and unloading, 154–155, 155
- Update Extents option, 219
- Update To Face option, 282, 283, 853
- Updates tab, 189, 189
- Upper Limit setting, 365
- usable area, 742–744
- USB devices for virtualization, 939, 939
- Use Project Settings option, 128
- User-Created worksets, 168–169
- user-defined keynotes, 777, 785, 785
- user-defined parameters, 443–445, 443–445
- user forms
 - class constructors, 956
 - controls, 954–956, 955
 - helper subroutines, 957–959
- user interface, 48, 48
 - Application menu, 48, 49
 - drawing area, 52, 52–53
 - graphic display options, 54, 54–55
 - InfoCenter, 50, 50
 - massing, 310, 311
 - Navigation bar, 57, 57
 - Project Browser, 51, 51
 - Properties palette, 50, 50
 - Quick Access toolbar, 49, 49–50
 - Ribbon, 57–59, 57–59
 - status bar, 52, 52
 - View Control bar, 53, 53
 - ViewCube, 56, 56
 - work plane viewer, 55, 55
- User Keynote tool, 785, 785
- User keynotes, 785, 785
- user managed worksets, 47
- User option for keynotes, 777
- UV grids
 - curtain walls, 540–546, 541–542, 546
 - pattern-based panel families, 546
- UVW coordinate system, 539, 542

V

V/G Overrides Worksets option, 187
 V grid for curtain walls, 541–542, 545, 546
 V Grid Rotation setting, 542
 V Grid tool, 541
 valleys for roofs, 591, 591
 variable thickness for roof layers, 592, 592
 variables, 956, 959–960
 VendorDescription tag, 949
 VendorId tag, 949
 Vertical Opening tool, 583, 583
 vertical structure settings for walls, 505
 vertices for in-place solids, 296
 Video Compression dialog box, 356, 356
 video for solar studies, 354–356, 355–357
 video hardware for virtualization, 936, 936
 View Control bar, 53, 53
 sun path, 447
 visual styles, 450, 450
 View Extents settings, 45
 View List Properties dialog box,
 156–157, 156–157
 View List schedules, 41, 749
 View option for legends, 758
 View Range dialog box, 33, 33, 819, 819
 View Range option, 39
 View/Sheet Set tab, 244, 244
 View tab for templates, 187
 View Templates dialog box, 123–124, 124,
 464, 464
 View Templates option, 769
 View Templates panel, 187, 187
 view titles, 765–766, 766
 View Zoom control, 57
 ViewCube, 56, 56, 367
 Viewer option, 55, 55
 views and View tab, 31, 31, 58, 58, 118
 3D, 42–46, 43–46, 819
 annotating, 821, 821
 orienting, 819–820, 819–820
 activating, 766
 animation paths, 473, 473
 arranging elements, 718–719, 718–719

 assemblies, 892, 893
 callouts, 38–39, 38–39
 creating, 32–34, 32–34
 cropping, 34, 34, 44, 44
 daylighting, 370, 372, 372
 deactivating, 766
 in design process, 597, 597
 documentation, 42
 drafting, 40, 40
 duplicating, 32–33, 33
 elevations, 35–36, 35
 in export sets, 244–245
 exporting, 372–379, 372–379
 filters, 121–122, 122, 156, 156
 importing and linking, 763–764, 764
 legends, 40, 40–41, 757, 786
 linked data, 235–236
 monochromatic, 437–440, 438–440
 number of, 155–157, 156–157
 organizing, 119–121, 119–121
 pattern-based panel scheduling, 561
 phasing, 381–383, 386, 387,
 394–400, 394–399
 photorealistic visualization, 470–471, 470
 ranges, 33, 33
 rendering, 467
 saving, 764, 764
 schedules, 41–42, 41–42, 94, 158, 269, 341,
 414–415, 414, 749
 sections, 36–38, 36–38, 132
 settings between, 769
 solar studies, 348
 stacking, 991, 991
 starting, 187, 187
 sun studies, 352–354, 352–354
 tags, 129–134, 129–134
 templates, 123–124, 124
 viewport types, 822–823, 822–823
 visibility, 231
 visual styles, 453–457, 453–457
 window-to-wall ratio, 346
 windows, 48, 48
 Views worksets, 169

- virtual machines, 918, **921–923**, 921
- virtualization, **916**
 - advantages, **918–920**
 - Bohlin Cywinski Jackson. *See* Bohlin Cywinski Jackson (BCJ)
 - guest computers, **918**
 - host computers, **917**
 - limitations, **920**
 - overview, **915–917**, 917
 - virtual machine creation, **921–923**, 921
- visibility and Visibility/Graphic Overrides dialog box
 - boundary lines, 766
 - color fill legends, 814–815
 - curtain wall surfaces, 545
 - design options, 414, 414
 - detail components, **733–734**, 733–735
 - extrusions, 627, 627
 - family components, **607–609**, 608–609
 - filters, 384–385, 385, 440–442, 441, 444, 444
 - imported data, **229–231**, 230–231, 760
 - lighting fixtures, 490
 - line patterns, 104
 - linked models, **211–212**, 211–212
 - parts, 889
 - points, 202
 - solar studies, 349
 - templates, 187, 187
 - views, **123–124**
 - window-to-wall ratio, 344
 - worksets, 179–180
- Visibility Settings tool, 733
- VisibilityMode tag, 950
- Visible In View selection option, 63
- Visible option, 627, 627
- Visual Studio 2010, **951–952**, 951–952
- Visual Studio for Applications (VSTA), 941, 948
- visual styles, **450**
 - level of detail, **451–453**, 451–452
 - shadows, **457–462**, 457–462
 - types, **453–457**, 453–457

- visualization, 5–7, 5–8, **435**
 - analytic. *See* analytic visualization
 - film and stage, **984–988**, 984–989
 - geometry and cameras, 481–482
 - photorealistic. *See* photorealistic visualization
 - role, **435–457**
 - sequence and workflow, **480–481**
 - artificial lighting, **485–486**, 485
 - geometry and cameras, **481–482**
 - light groups, **486–495**, 486–495
 - materials, 496, 496
 - sunlight, **482–485**, 483–485
 - Tocci Building Corporation case study, **881–882**, 881–882
 - worksharing, **188–191**, 188–191
- VMware, 916
 - in BCJ, 927–928
 - P2V technology, 922–923
- VMware Converter, 922
- Void Sweep option, 571–572, 571
- voids
 - converting solids into, 308–309, 308, 323–324, 323–324, 618, 618
 - as solids, 306, **308**, 308
 - solids relationships, **616–618**, 616–618
- volume-to-floor ratio, 270, 270
- volumes in energy modeling, **364–366**, 364–366
- VSTA (Visual Studio for Applications), 941, 948

W

- Walkthrough Frames dialog box, 479, 479
- Walkthrough views, 42
 - animation paths, 473–474, 473–474
 - editing, 476–477, 477
 - frames, 479, 479
 - properties, 475, 475
 - section boxes, 46
- wall by face mass, **281–284**, 281–284
- Wall Closure parameter, 509
- Wall Enclosure parameter, 509

- Wall Finish setting, 366
- wall-hosted plumbing fixtures, 602, 602
- Wall Joins tool, 520, 520–521
- Wall sections, 36–37
- Wall Sweeps dialog box, 513–514, 513
- Wall Sweeps tool, 516
- Wall Tags category, 804, 805
- walls, 501
 - articulation, 510–516, 510–516
 - attaching, 521–522, 521–522
 - copying, 215
 - cores, 506, 506–507
 - creating, 22–23, 22–24, 502, 502
 - curtain. *See* curtain walls
 - finish face materials, 511–512, 512
 - Function type property, 507, 507
 - geometry phase, 390–393, 391–393
 - Google SketchUp, 253–255, 254–255
 - in groups, 402, 402
 - in-place, 262–264, 263, 523, 523
 - joining
 - editing, 519–521, 519–521
 - to floors and roofs, 79, 79
 - limitations, 210
 - links vs. groups, 408, 408
 - layers, 505, 507, 507
 - extending, 517–519, 517–519
 - Layers table, 503–504, 504
 - merging, 512, 512
 - wrapping, 505, 505, 508–510, 508–510
 - legends, 758–759, 758–759, 769, 769
 - materials, 504–505, 504
 - Model In Place, 27, 27
 - offsetting, 77, 77
 - perspective views, 26, 26
 - profiles, 22–23, 22, 521–522, 521–522
 - reference plane relationship, 24–27, 25–28
 - reflectance settings, 371
 - reveals, 514, 514–515
 - roof attached to, 240, 240
 - rotating, 70, 70
 - schedules, 753–754
 - slanted and curved, 1009, 1009
 - splitting, 76–77, 76
 - stacked, 523–526, 524–526
 - STC, 757
 - structure, 503–506, 503–505
 - sweep returns, 515–516, 516
 - sweeps, 512–514, 513, 515
 - trimming and extending, 75–76, 75
 - wild, 982
- Walls tab
 - design options, 412
 - dormers, 588
- warnings
 - area plans, 747, 747
 - overview, 161–163, 161–162
- Warnings dialog box, 161, 747, 747
- Watchmen*
 - apartment, 992, 993
 - CGI work, 990, 991–992
 - detail, 977
 - glazing, 977
 - green screens, 981, 981
 - production, 1004–1007, 1005–1007
- water closets, 857
- WCPL parameter, 335, 335
- weather data, 375, 376
- Weather Data File button, 375
- Whaley, Mike, 873–874
- White Point setting, 488
- white screen of death, 919–920
- whole-building BIM, 17
- Wide Line silhouettes, 461, 461
- Width setting
 - animated solar studies, 356
 - labels, 128
- Wikipedia for parametric models, 861
- wild walls, 982
- window family details, 726–733, 726–732
- window sills, 722, 722, 726–733, 726–732
- window-to-wall ratio (WWR),
 - 343–346, 344–346
- windows, selection, 62
- Windows tab, 508
- winter solstice in sun studies, 348, 349
- wire meshes for railings, 654–658, 655–658

Wireframe view, 453, 453, 489, 489

Wolfram Alpha site for parametric models, 861

Work Plane dialog box, 491, 491

Work Plane panel, 19, 55, 55, 549

work plane viewer, 55, 55

work planes

curtain walls, 549

generic model mass families, 320, 320

in-place solids, 303, 303

lighting, 491, 491

masking regions, 731, 731

reference planes, 19

work plans, 150

workflow

BIM, 141–145, 142–146

visualization. *See* visualization

working space, 52, 53

worksets and Worksets dialog box, 47, 47,

152–153, 152, 165

central files, 172–173, 172–173

changing, 188, 188

copying with, 69

element ownership in, 181–191, 181–191

entourage, 495, 495

linked models, 208–209

loading work from team members,

179, 179

local files, 173–176

moving elements between, 179–181, 180

number of, 170

organizing, 170–171, 171

ownership data, 174, 174

permissions, 173, 173, 181

saving work, 176–178, 177–178

structure, 169

types, 168–169

Worksets tab, 190, 190

worksharing, 165

basics, 165–166, 166

in design process, 597

disabling, 186, 186

film and stage, 997

in large teams, 151–153, 152–153

linked models with, 206–209, 207–208

using, 167–168, 167–168

visualizing, 188–191, 188–191

worksets. *See* worksets and Worksets

dialog box

Worksharing dialog box, 167, 168

Worksharing Display Settings dialog box,

188–189, 189

Worksharing Update Frequency option, 190

Workstation Extreme product, 920

Wrapping At Ends setting, 508

Wrapping At Inserts setting, 508–509

wrapping layers, 505, 505, 508–510, 508–510

Wright Flyer, 1003, 1003

WWR (window-to-wall ratio),

343–346, 344–346

X

X-Men: The Last Stand

production, 1000, 1000–1001

realism, 976, 976

X-ray view, 297–298, 298

Xref Views On Sheet option, 200

Y

Yue, Chen, student project by,

912–913, 912–913

Z

Zoom To Sheet Size option, 608, 609